



TERMINAL BLOCKS FOR DISTRIBUTION PLANTS

BLOCCHETTI TERMINALI PER IMPIANTI DI DISTRIBUZIONE
BLOQUE TERMINAL PARA LINEAS DE DISTRIBUCIÓN
APPLIQUE MURALE POUR LIGNES DE DISTRIBUTION
WANDDOSE FÜR VERTEILUNGSANLAGEN





TERMINAL BLOCK
BLOCCHETTO TERMINALE
BLOQUE TERMINAL
APPLIQUE MURALE
WANDDOSE


BSP

Code	I	O	A	B	C	D	Ø	E	F			(g)
R243.012.038	1xG 1/2"	1xG 3/8"	62	52	41	37	4,5	27	46	-	160	55
R243.012.012	2xG 1/2"	1xG 3/8"	62	52	41	37	4,5	27	46	-	160	55

Polyamide
Poliammide
Poliamide
Polyamide
Polyamid



R243.012.038





R243.012.012

TERMINAL BLOCK
BLOCCHETTO TERMINALE
BLOQUE TERMINAL
APPLIQUE MURALE
WANDDOSE


NPT

Code	I	O	A	B	C	D	Ø	E	F			(g)
R943.012.038	1xNPT 1/2"	1xNPT 3/8"	62	52	41	37	4,5	27	46	-	160	55
R943.012.012	2xNPT 1/2"	1xNPT 3/8"	62	52	41	37	4,5	27	46	-	160	55

Polyamide
Poliammide
Poliamide
Polyamide
Polyamid



R943.012.038




R943.012.012



SPACER
DISTANZIALE
DISTANCIADOR
ENTRETOISE
DISTANZPLATTE

Code	Ø	A	B	C	D	Ø	Ø	(g)
R243.000.009	4,5	62	52	9	11	10	-	17




USE OF SPACERS WITH TERMINAL BLOCKS R243

SCHEMA DI UTILIZZO DISTANZIALI CON BLOCCHETTI TERMINALI R243
ESQUEMA DE USO DE LOS DISTANCIADORES CON BLOQUES TERMINALES R243
NOTICE D'UTILISATION DES ENTRETOISES AVEC APPLIQUES MURALES R243
BEDIENUNGSANLEITUNG FÜR DISTANZPLATTEN BEI WANDDOSEN R243


WITH Ø20 AND Ø25 PIPES

TUBI Ø20 E Ø25 / TUBOS Ø20 Y Ø25
TUBES Ø20 ET Ø25 / ROHRE Ø20 UND Ø25




WITH Ø20 AND Ø40 PIPES

TUBI Ø20 E Ø40 / TUBOS Ø20 Y Ø40
TUBES Ø20 ET Ø40 / ROHRE Ø20 UND Ø40




WITH Ø20 AND Ø63 PIPES

TUBI Ø20 E Ø63 / TUBOS Ø20 Y Ø63
TUBES Ø20 ET Ø63 / ROHRE Ø20 UND Ø63





TERMINAL BLOCK 1 OUTLET
 BLOCCHETTO TERMINALE 1 USCITA
 BLOQUE TERMINAL 1 SALIDA
 APPLIQUE MURALE 1 SORTIE
 WANDDOSE 1 AUSGANG



BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R241.012.001	G 1/2"	1xG 1/2"	86	60	70	44	5,5	22	55	-	80	108
	R241.034.001	G 3/4"	1xG 1/2"	86	60	70	44	5,5	22	55	-	80	108
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R941.012.001	NPT 1/2"	1xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	108
	R941.034.001	NPT 3/4"	1xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	108

With condensate drain/ Con scarico anticondensa / Con drenaje de condensado
 Avec vidange de condensat / mit Kondensatableiter


BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R241.012.001SC	G 1/2"	1xG 1/2"	86	60	70	44	5,5	22	55	-	80	108
	R241.034.001SC	G 3/4"	1xG 1/2"	86	60	70	44	5,5	22	55	-	80	108
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R941.012.001SC	NPT 1/2"	1xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	108
	R941.034.001SC	NPT 3/4"	1xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	108

Polyamide and aluminium

Poliammide e alluminio
 Poliamide y aluminio
 Polyamide et aluminium
 Polyamid un Aluminium



TERMINAL BLOCK 1 OUTLET
 BLOCCHETTO TERMINALE 1 USCITA
 BLOQUE TERMINAL 1 SALIDA
 APPLIQUE MURALE 1 SORTIE
 WANDDOSE 1 AUSGANG



BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	RP241.012.001	G 1/2"	1xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP241.034.001	G 3/4"	1xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	RP941.012.001	NPT 1/2"	1xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP941.034.001	NPT 3/4"	1xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88

With condensate drain/ Con scarico anticondensa / Con drenaje de condensado
 Avec vidange de condensat / mit Kondensatableiter

BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	RP241.012.001SC	G 1/2"	1xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP241.034.001SC	G 3/4"	1xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	RP941.012.001SC	NPT 1/2"	1xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP941.034.001SC	NPT 3/4"	1xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88


Polyamide

Poliammide
 Poliamide
 Polyamide
 Polyamid





TERMINAL BLOCK 2 OUTLETS
BLOCCHETTO TERMINALE 2 USCITE
BLOQUE TERMINAL 2 SALIDAS
APPLIQUE MURALE 2 SORTIES
WANDDOSE 2 AUSGÄNGE



	Code	I	O	A	B	C	D	Ø	E	F			(g)
BSP	R241.012.002	G 1/2"	2xG 1/2"	86	60	70	44	5,5	22	55	-	80	134
	R241.034.002	G 3/4"	2xG 1/2"	86	60	70	44	5,5	22	55	-	80	134
	Code	I	O	A	B	C	D	Ø	E	F			(g)
NPT	R941.012.002	NPT 1/2"	2xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	134
	R941.034.002	NPT 3/4"	2xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	134

With condensate drain/ Con scarico anticondensa / Con drenaje de condensado
Avec vidange de condensat / mit Kondensatableiter

	Code	I	O	A	B	C	D	Ø	E	F			(g)
BSP	R241.012.002SC	G 1/2"	2xG 1/2"	86	60	70	44	5,5	22	55	-	80	134
	R241.034.002SC	G 3/4"	2xG 1/2"	86	60	70	44	5,5	22	55	-	80	134
	Code	I	O	A	B	C	D	Ø	E	F			(g)
NPT	R941.012.002SC	NPT 1/2"	2xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	134
	R941.034.002SC	NPT 3/4"	2xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	134


Polyamide and aluminium

Poliammide e alluminio
Poliamide y aluminio
Polyamide et aluminium
Polyamid un Aluminium



ANTICONDENSATE
DRAIN

TERMINAL BLOCK 2 OUTLETS
BLOCCHETTO TERMINALE 2 USCITE
BLOQUE TERMINAL 2 SALIDAS
APPLIQUE MURALE 2 SORTIES
WANDDOSE 2 AUSGÄNGE



	Code	I	O	A	B	C	D	Ø	E	F			(g)
BSP	RP241.012.002	G 1/2"	2xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP241.034.002	G 3/4"	2xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
	Code	I	O	A	B	C	D	Ø	E	F			(g)
NPT	RP941.012.002	NPT 1/2"	2xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP941.034.002	NPT 3/4"	2xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88

With condensate drain/ Con scarico anticondensa / Con drenaje de condensado
Avec vidange de condensat / mit Kondensatableiter

	Code	I	O	A	B	C	D	Ø	E	F			(g)
BSP	RP241.012.002SC	G 1/2"	2xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP241.034.002SC	G 3/4"	2xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
	Code	I	O	A	B	C	D	Ø	E	F			(g)
NPT	RP941.012.002SC	NPT 1/2"	2xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP941.034.002SC	NPT 3/4"	2xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88

Polyamide


Poliammide
Poliamide
Polyamide
Polyamid



ANTICONDENSATE
DRAIN



TERMINAL BLOCK 3 OUTLETS
 BLOCCHETTO TERMINALE 3 USCITE
 BLOQUE TERMINAL 3 SALIDAS
 APPLIQUE MURALE 3 SORTIES
 WANDDOSE 3 AUSGÄNGE



BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R241.012.003	G 1/2"	3xG 1/2"	86	60	70	44	5,5	22	55	-	80	151
	R241.034.003	G 3/4"	3xG 1/2"	86	60	70	44	5,5	22	55	-	80	151
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R941.012.003	NPT 1/2"	3xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	151
	R941.034.003	NPT 3/4"	3xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	151

With condensate drain/ Con scarico anticondensa / Con drenaje de condensado
 Avec vidange de condensat / mit Kondensatableiter

BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R241.012.003SC	G 1/2"	3xG 1/2"	86	60	70	44	5,5	22	55	-	80	151
	R241.034.003SC	G 3/4"	3xG 1/2"	86	60	70	44	5,5	22	55	-	80	151
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R941.012.003SC	NPT 1/2"	3xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	151
	R941.034.003SC	NPT 3/4"	3xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	151


Polyamide and aluminium

Poliamide e alluminio
 Poliamide y aluminio
 Polyamide et aluminium
 Polyamid un Aluminium



ANTICONDENSATE
DRAIN

TERMINAL BLOCK 3 OUTLETS
 BLOCCHETTO TERMINALE 3 USCITE
 BLOQUE TERMINAL 3 SALIDAS
 APPLIQUE MURALE 3 SORTIES
 WANDDOSE 3 AUSGÄNGE



BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	RP241.012.003	G 1/2"	3xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP241.034.003	G 3/4"	3xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	RP941.012.003	NPT 1/2"	3xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP941.034.003	NPT 3/4"	3xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88

With condensate drain/ Con scarico anticondensa / Con drenaje de condensado
 Avec vidange de condensat / mit Kondensatableiter

BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	RP241.012.003SC	G 1/2"	3xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP241.034.003SC	G 3/4"	3xG 1/2"	86	60	70	44	5,5	22	55	-	80	88
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	RP941.012.003SC	NPT 1/2"	3xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88
	RP941.034.003SC	NPT 3/4"	3xNPT 1/2"	86	60	70	44	5,5	22	55	-	80	88

Polyamide

Poliamide
 Poliamide
 Polyamide
 Polyamid





ANTICONDENSATE
DRAIN



SPACER
DISTANZIALE
DISTANCIADOR
ENTRETOISE
DISTANZPLATTE

Code	Ø	A	B	C	D	E	F			(g)
R242.000.010	5,5	85	65	10	70	44	60	10	-	23
R242.000.013	5,5	85	65	13	70	44	60	10	-	25
R242.000.020	5,5	85	65	20	70	44	60	10	-	117




USE OF SPACERS WITH TERMINAL BLOCKS R241

SCHEMA DI UTILIZZO DISTANZIALI CON BLOCCHETTI TERMINALI R241
ESQUEMA DE USO DE LOS DISTANCIADORES CON BLOQUES TERMINALES R241
NOTICE D'UTILISATION DES ENTRETOISES AVEC APPLIQUES MURALES R241
BEDIENUNGSANLEITUNG FÜR DISTANZPLATTEN BEI WANDDOSEN R241


WITH Ø20 AND Ø25 PIPES

TUBI Ø20 E Ø25 / TUBOS Ø20 Y Ø25
TUBES Ø20 ET Ø25 / ROHRE Ø20 UND Ø25




WITH Ø20 AND Ø40 PIPES

TUBI Ø20 E Ø40 / TUBOS Ø20 Y Ø40
TUBES Ø20 ET Ø40 / ROHRE Ø20 UND Ø40



WITH Ø20 AND Ø63 PIPES

TUBI Ø20 E Ø63 / TUBOS Ø20 Y Ø63
TUBES Ø20 ET Ø63 / ROHRE Ø20 UND Ø63






TERMINAL BLOCK 4 OUTLETS
BLOCCHETTO TERMINALE 4 USCITE
BLOQUE TERMINAL 4 SALIDAS
APPLIQUE MURALE 4 SORTIES
WANDDOSE 4 AUSGÄNGE



BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R231.012.012	G 1/2"	4xG 1/2"	105	70	91	56	7	35	81,5	-	40	297
	R231.034.012	G 3/4"	4xG 1/2"	105	70	91	56	7	35	81,5	-	40	297
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R931.012.012	NPT 1/2"	4xNPT 1/2"	105	70	91	56	7	35	81,5	-	40	297
	R931.034.012	NPT 3/4"	4xNPT 1/2"	105	70	91	56	7	35	81,5	-	40	297




TERMINAL BLOCK 4 OUTLETS
BLOCCHETTO TERMINALE 4 USCITE
BLOQUE TERMINAL 4 SALIDAS
APPLIQUE MURALE 4 SORTIES
WANDDOSE 4 AUSGÄNGE



BSP	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R231.012.012SC	G 1/2"	4xG 1/2"	105	70	91	56	7	35	81,5	-	40	297
	R231.034.012SC	G 3/4"	4xG 1/2"	105	70	91	56	7	35	81,5	-	40	297
NPT	Code	I	O	A	B	C	D	Ø	E	F			(g)
	R931.012.012SC	G 1/2"	4xG 1/2"	105	70	91	56	7	35	81,5	-	40	297
	R931.034.012SC	G 3/4"	4xG 1/2"	105	70	91	56	7	35	81,5	-	40	297


With condensate drain/ Con scarico anticondensa / Con drenaje de condensado
Avec vidange de condensat / mit Kondensatableiter





SPACER
DISTANZIALE
DISTANCIADOR
ENTRETOISE
DISTANZPLATTE

Code	Ø	A	B	C	D	E	F			(g)
R231.000.010	7	105	75	10	91	56	70	10	-	23




USE OF SPACERS WITH TERMINAL BLOCKS R231

SCHEMA DI UTILIZZO DISTANZIALI CON BLOCCHETTI TERMINALI R231
ESQUEMA DE USO DE LOS DISTANCIADORES CON BLOQUES TERMINALES R231
NOTICE D'UTILISATION DES ENTRETOISES AVEC APPLIQUES MURALES R231
BEDIENUNGSANLEITUNG FÜR DISTANZPLATTEN BEI WANDDOSEN R231


WITH Ø20 AND Ø25 PIPES

TUBI Ø20 E Ø25 / TUBOS Ø20 Y Ø25
TUBES Ø20 ET Ø25 / ROHRE Ø20 UND Ø25




WITH Ø20 AND Ø40 PIPES

TUBI Ø20 E Ø40 / TUBOS Ø20 Y Ø40
TUBES Ø20 ET Ø40 / ROHRE Ø20 UND Ø40



WITH Ø20 AND Ø63 PIPES

TUBI Ø20 E Ø63 / TUBOS Ø20 Y Ø63
TUBES Ø20 ET Ø63 / ROHRE Ø20 UND Ø63





GUIDE TO CUSTOMISING TERMINAL BLOCKS

GUIDA ALLA PERSONALIZZAZIONE DEI BLOCCHETTI TERMINALI / GUÍA PARA LA PERSONALIZACIÓN DE LOS BLOQUES TERMINALES

GUIDE DE LA PERSONNALISATION DES BLOCS TERMINAUX / LEITFADEN ZUR ANPASSUNG VON ENDSTÜCKEN

Body	Valve	Air inlet		Safety couplings *	Pressure gauge	Outlets	Drain
RA241							
	no valve 0	no fittings G 3/4" 3 4		no 0	cap 0	2	no drain 0
	valve 1	SK fittings Ø15 1 5 Ø22 2 2 Ø28 2 8		FE600 1	gauge 1	4	drain SC
		SR fittings Ø20 2 0 Ø25 2 5		SE600 2		6	
				SE800 3		8	
				SE110 4			
				SE740 5			
				SE550 6			
				SC800 7			
				SC740 8			

*** For details, refer to the Couplings section on page 185**
 Per dettagli consultare la sezione Couplings a pagina 185
 Para más detalles, consulte la sección Couplings en la página 185
 Pour plus de détails, consultez la section Couplings à la page 185
 Für weitere Details, siehe Couplings auf Seite 185

COMBINATION EXAMPLES

ESEMPI DI COMBINAZIONE
 EJEMPLOS DE COMBINACIÓN
 EXEMPLES DE COMBINAISON
 KOMBINATIONSBESPIELE



RA241 0 1 5 3 1 4 SC

RA241 1 2 8 8 1 6 SC

RA241 0 2 5 1 0 8 SC



GUIDE TO CUSTOMISING TERMINAL BLOCKS

GUIDA ALLA PERSONALIZZAZIONE DEI BLOCCHETTI TERMINALI / GUÍA PARA LA PERSONALIZACIÓN DE LOS BLOQUES TERMINALES
GUIDE DE LA PERSONNALISATION DES BLOCS TERMINAUX / LEITFADEN ZUR ANPASSUNG VON ENDSTÜCKEN

Body	Valve	Air inlet	Safety couplings*	0	Outlets	Drain
aluminium+pa BSP R241 NPT R941 polyamide BSP RP241 NPT RP941	no valve 0 valve 1	no fittings G 1/2" 1 2 G 3/4" 3 4 SK fittings Ø15 1 5 Ø22 2 2 Ø28 2 8 SR fittings Ø20 2 0 Ø25 2 5	no 0 FE600 1 SE600 2 SE800 3 SE110 4 SE740 5 SE550 6 SC800 7 SC740 8		1 2 3	no drain 0 drain SC

For details, refer to the Couplings section on page 185
 Per dettagli consultare la sezione Couplings a pagina 185
 Para más detalles, consulte la sección Couplings en la página 185
 Pour plus de détails, consultez la section Couplings à la page 185
 Für weitere Details, siehe Couplings auf Seite 185

COMBINATION EXAMPLES

ESEMPLI DI COMBINAZIONE
EJEMPLOS DE COMBINACIÓN
EXEMPLES DE COMBINAISON
KOMBINATIONSBESPIELE



R241 0 2 0 1 0 1 SC

RP241 1 2 2 6 0 3 0

R241 0 3 4 6 0 2 SC



GUIDE TO CUSTOMISING TERMINAL BLOCKS

GUIDA ALLA PERSONALIZZAZIONE DEI BLOCCHETTI TERMINALI / GUÍA PARA LA PERSONALIZACIÓN DE LOS BLOQUES TERMINALES
GUIDE DE LA PERSONNALISATION DES BLOCS TERMINAUX / LEITFADEN ZUR ANPASSUNG VON ENDSTÜCKEN

Body	Valve	Air inlet	Safety couplings*	Air outlet	Drain

*** For details, refer to the Couplings section on page 185**
 Per dettagli consultare la sezione Couplings a pagina 185
 Para más detalles, consulte la sección Couplings en la página 185
 Pour plus de détails, consultez la section Couplings à la page 185
 Für weitere Details, siehe Couplings auf Seite 185

COMBINATION EXAMPLES

ESEMPI DI COMBINAZIONE
EJEMPLOS DE COMBINACIÓN
EXEMPLES DE COMBINAISON
KOMBINATIONSBESPIELE



R243 0 1 2 1 3 8 0

R243 1 2 5 0 1 2 0

R243 0 2 2 5 3 8 SC


ADAPTER (M) BSPT / (F) NPT



ADATTATORE MASCHIO BSPT / FEMMINA NPT

ADAPTADOR MACHO BSPT / HEMBRA NPT

ADAPTATEUR MÂLE BSPT / FEMELLE NPT

ADAPTER MIT AUSSENGEWINDE BSPT / MIT INNENGEWINDE NPT

Code	A BSP	B NPT	C	D	CH			(g)
R251.012.000	1/2"	1/2"	24	40	30	1	-	45
R251.034.000	3/4"	3/4"	33	40	36	1	-	56
R251.001.000	1"	1"	25	45	42	1	-	75
R251.114.000	1 1/4"	1 1/4"	26	48	50	1	-	108
R251.112.000	1 1/2"	1 1/2"	29	50	60	1	-	165
R251.002.000	2"	2"	32	60	75	1	-	316


ADAPTER (M) NPT / (F) BSPP

ADATTATORE MASCHIO NPT / FEMMINA BSPP

ADAPTADOR MACHO NPT / HEMBRA BSPP

ADAPTATEUR MÂLE NPT / FEMELLE BSPP

ADAPTER MIT AUSSENGEWINDE NPT / MIT INNENGEWINDE BSPP

Code	A BSP	B NPT	C	D	CH			(g)
R252.012.000	1/2"	1/2"	25	40	30	1	-	41
R252.034.000	3/4"	3/4"	25	40	36	1	-	54
R252.001.000	1"	1"	27	45	42	1	-	75
R252.114.000	1 1/4"	1 1/4"	29	48	50	1	-	103
R252.112.000	1 1/2"	1 1/2"	30	50	60	1	-	162
R252.002.000	2"	2"	40	60	75	1	-	302

