




ADAPTERS



LC2C.01



LIGHT CATALOGUE

LC2C.01

La pubblicazione LIGHT CATALOGUE LC2C.01 propone l'ampia gamma di adattatori OLMARK, che si affianca alle pubblicazioni LC2C.02 (serie RJ e RF) e LC2C.03 (serie RG e ZN). La collezione di adattatori OLMARK è ulteriormente ampliabile, per quanto riguarda disegni e materiali, sulla base delle specifiche richieste dei clienti.

Il presente format raccoglie le serie "RQ" (adattatori di congiunzione serie tornita) e "RA" (adattatori di congiunzione serie forgiati e assemblati) e non sostituisce ma complementa il catalogo tecnico generale in vigore.

Light Catalogue LC2C.01 offre una completa attualità e disponibilità applicativa nel mondo della connessione dei tubi ad alta pressione, assicurando una semplice e rapida consultazione, al fine di individuare e codificare agevolmente l'articolo prescelto e ritenuto più tecnicamente idoneo all'applicazione finale.

L'attenzione al mercato e alle esigenze dei clienti costituisce in OLMARK una filosofia che si ripropone con la stessa meticolosità e professionalità anche in strumenti di lavoro definiti "LIGHT".

LC2C.01 LIGHT CATALOGUE features OLMARK wide range of Adapters and is put beside LC2C.02 (series RJ and RF) and LC2C.03 (series RG and ZN) publications. OLMARK adapters collection can be extended to special items, based on drawings and materials specifically required by customers.

This publication gathers the series "RQ" (machined equal adapters) and "RA" (forged and assembled equal adapters) and does not replace but completes the general Technical Catalogue in use.

LC2C.01 LIGHT CATALOGUE offers full updates and application availability in the high pressure hoses assembly field, as well as quick and easy to consult data, in order to smoothly identify and codify the most suitable item for the final product application.


The attention given to markets and customers' needs is part of OLMARK philosophy, that shows its professionalism and meticulousness even with working instruments defined as "LIGHT".

La pubblicazione LIGHT CATALOGUE LC2C.01 propose la collection complète des embouts à sertir OLMARK et se joint aux autres publications LC2C.02 (séries RJ et RF) et LC2C.03 (séries RG et ZN). La collection des adaptateurs OLMARK peut être ultérieurement enrichie avec des parties spéciales produites sur des plans et matériaux demandés des clients.


Le présent format comprendre les séries "RQ" (adaptateurs tournés) et "RA" (adaptateurs moulés et assemblés) et ne remplace pas mais est complémentaire au catalogue général en vigueur.

LIGHT CATALOGUE LC2C.01 offre une complète actualité et disponibilité applicatif dans le monde du sertissage des tuyaux haute pression, avec une simple et rapide consultation prédisposée à individuer et codifier l'embout choisi et retenu le plus techniquement approprié pour l'application finale.

L'attention au marché et aux exigences des clients constitue en OLMARK une philosophie qui se repropose avec la même méticulosité et professionnalité aussi dans des instruments de travail définis "LIGHT".





RQ



RA

BSP



CODE

F

CH.F (mm)



WP (BAR)

Nm

A B

CODE	02	04	06	08	10	12	16	20	24	32				
F	1/8"-28	1/4"-19	3/8"-19	1/2"-14	5/8"-14	3/4"-14	1"-11	1 1/4"-11	1 1/2"-11	2"-11				
CH.F (mm)	15	19	22	27	28	32	41	50	55	70				
WP (BAR)	350	350	350	350	350	350	310	250	250	210				
Nm	12-20	14-25	25-41	45-76	55-94	90-135	120-165	170-280	200-365	300-500				

METRIC



CODE

F

CH.F (mm)



WP (BAR)

Nm

A B

CODE	10A	12B	14B	16B	18B	20B	22B	24B	26B	28B	30B	38B	45B	52B
F	10x1	12x1,5	14x1,5	16x1,5	18x1,5	20x1,5	22x1,5	24x1,5	26x1,5	28x1,5	30x1,5	38x1,5	45x1,5	52x1,5
CH.F (mm)	15	17	19	22	22	27	27	30	32	32	36	46	55	60
WP (BAR)	350	350	350	350	350	350	350	350	350	310	250	250	210	
Nm	12-14	13-15	15-18	25-28	27-30	50-65	50-65	60-88	60-75	80-100	110-130			

JIC 74°



CODE

F



CH.F (mm)

WP (BAR)

Nm

CODE	J6	J8	J10	J11	J12	J16	J20	J22	J25	J30	J38	J42		
F	7/16 -20	1/2 -20	9/16 -18	5/8"-18	3/4"-16	7/8 -14	1 1/16 -12	1 3/16 -12	1 5/16 -12	1 5/8 -12	1 7/8 -12	2 1/2 -12		
CH.F (mm)	15	17	19	22	24	27	32	36	41	50	55	70		
WP (BAR)	450	420	350	350	350	320	320	290	250	250	100	80		
Nm	13-21	18-27	24-42	24-42	45-70	65-94	92-133	118-163	127-190	175-285	215-365	300-500		

NPTF



CODE

F

CH.M (mm)



WP (BAR)

Nm

A

CODE	T02	T04	T06	T08	T12	T16	T20	T24	T32					
F	1/8"-27	1/4"-18	3/8"-18	1/2"-14	3/4"-14	1"-11 _{1/2}	1 1/4"-11 _{1/2}	1 1/2"-11 _{1/2}	2"-11 _{1/2}					
CH.M (mm)	15	15	19	24	30	36	46	55	70					
WP (BAR)	345	345	275	240	210	170	150							
Nm														

BSPT



CODE

F

CH.M (mm)


WP (BAR)

Nm

A

CODE	K02	K04	K06	K08	K12	K16	K20	K24	K32					
F	1/8"-28	1/4"-19	3/8"-19	1/2"-14	3/4"-14	1"-11	1 1/4"-11	1 1/2"-11	2"-11					
CH.M (mm)	12	15	19	24	30	36	46	55	70					
WP (BAR)	345	345	275	240	210	170	150							
Nm														

FLANGE 3000 - FLANGE 6000



FLANGE 3000

FLANGE 6000

CODE

D

D (mm)












WP (BAR)

Nm

CODE	FL08	FL12	FL16	FL20	FL24	FL32	CODE	FP08	FP12	FP16	FP20	FP24	FP32
D	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	D	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
D (mm)	30	38	44,5	50,8	60	71,4	D (mm)	31,7	41,3	47,5	54	63,5	79,4
WP (BAR)	345	345	345	275	210	185	WP (BAR)	410	410	410	410	410	410
Nm	30,6	75	75	75	130	130	Nm	30,6	75	130	210	320	620








CONTENTS

 COD: RQNM-- p. 09	 COD: RQNM---A p. 11	 COD: RQNMF-- p. 13	 COD: RQRMF---L p. 14	 COD: RQTME-- p. 16
 COD: RQNM--L p. 09	 COD: RQNM---KC p. 11	 COD: RQNMF--- p. 12	 COD: RQRMF---P p. 15	 COD: RQTME--B p. 17
 COD: RQNM--B p. 09	 COD: RQB16U----- p. 12	 COD: RQNMF--B p. 12	 COD: RQPMF--H-- p. 15	 COD: RQTMK-- p. 17
 COD: RQNM--KC p. 09	COD:	 COD: RQNMF---B p. 13	 COD: RQPMF--BH-- p. 16	 COD: RQTMK--B p. 17
 COD: RQNM--TC p. 10	COD:	 COD: RQSNMF0-- p. 12	 COD: RQPMF--H-- p. 16	 COD: RQTMF-- p. 17
 COD: RQNM--KK p. 10	COD:	 COD: ESNMF-- p. 14	 COD: RQPMF--H-- p. 16	 COD: RQTMF--B p. 18
 COD: RQNM---- p. 10	COD:	 COD: RQNFF-- p. 13	COD:	 COD: RQTMF--GG p. 18
 COD: RQNM----L p. 10	COD:	 COD: RQNFF--B p. 13	COD:	 COD: RQTF-- p. 18
 COD: RQNM--B-B p. 11	COD:	COD:	COD:	 COD: RQTF--B p. 18

Per ulteriori informazioni consultare le NOTE GENERALI a tergo catalogo - For further informations please refer to the GENERAL NOTES listed on the back of the catalog - Pour ultérieures informations, s'il vous plait consulter les NOTES GENERALES au dos du catalog.




CONTENTS

 COD: RQBF-- p. 19	 COD: RQOM--- p. 20	 COD: RQMNE-- p. 22	 COD: RQMNE--BT-- p. 24	 COD: RQOGS00-ST-- p. 26
 COD: RQBF-B p. 19	 COD: RQOM--B-B p. 20	 COD: RQMNE--T-- p. 22	 COD: RQMND-L p. 24	COD:
 COD: RQBFD-- p. 19	 COD: RQOM---B p. 20	 COD: RQMNE--KT-- p. 22	 COD: RQMND--LT-- p. 24	COD:
 COD: RQBFD-B p. 19	 COD: RQOM--B-- p. 20	 COD: RQMNE--TT-- p. 22	 COD: RQMND-S p. 25	COD:
COD:	 COD: RQOMBL---- p. 21	 COD: RQGTS-- p. 23	 COD: RQMND--ST-- p. 25	COD:
COD:	 COD: RQO--MD--L p. 21	 COD: RQGTS-B p. 23	 COD: RQMNEJ--GT-- p. 25	COD:
COD:	 COD: RQO--/-L-- p. 21	 COD: RQMNE--ST-- p. 23	 COD: RQMNEJ--BT-- p. 25	COD:
COD:	 COD: TSO--/-L--- p. 21	 COD: RQMNE--BST-- p. 23	 COD: RQOGS-T-- p. 26	COD:
COD:	COD:	 COD: RQMNE--B p. 24	 COD: RQOGS--BT-- p. 26	COD:

Per ulteriori informazioni consultare le NOTE GENERALI a tergo catalogo - For further informations please refer to the GENERAL NOTES listed on the back of the catalog - Pour ultérieures informations, s'il vous plait consulter les NOTES GENERALES au dos du catalog.





















CONTENTS

 COD: RQBS-- p. 27	 COD: RQOS--T-- p. 28	 COD: RQRR-- p. 29	 COD: RQMF--BT-- p. 31	COD:
 COD: RQBS-B p. 27	 COD: RQOS--BT-- p. 28	 COD: RQRR-B p. 29	 COD: RQNM--BF-K p. 31	COD:
 COD: RQBSF-- p. 27	COD:	 COD: RQRRR-- p. 29	 COD: RQRMF--BF-L p. 31	COD:
 COD: RQBSF-B p. 27	COD:	 COD: RQRRR-B p. 29	COD:	COD:
COD:	COD:	 COD: RQRA-- p. 30	COD:	COD:
COD:	COD:	 COD: RQRA-B p. 30	COD:	COD:
COD:	COD:	 COD: RQRB-- p. 30	COD:	COD:
COD:	COD:	 COD: RQRB-B p. 30	COD:	COD:
COD:	COD:	COD:	COD:	COD:
COD:	COD:	COD:	COD:	COD:

















Per ulteriori informazioni consultare le NOTE GENERALI a tergo catalogo - For further informations please refer to the GENERAL NOTES listed on the back of the catalog - Pour ultérieures informations, s'il vous plait consulter les NOTES GENERALES au dos du catalog.

CONTENTS

 COD: RAC90MF-- p. 33	 COD: RAMFL-- p. 35	 COD: RAC45MFP-- p. 36	 COD: RA90MKM-- p. 38	 COD: RA45MKM-- p. 40
 COD: RAC90MF--B p. 33	 COD: RAMFP-- p. 35	 COD: RAC45MFL--J-- p. 37	 COD: RA90MM-- p. 38	 COD: RA45MM-- p. 40
 COD: RAC90FF-- p. 33	 COD: RAMFL--J-- p. 36	 COD: RAC45MFP--J-- p. 37	 COD: RA90MM--B p. 38	 COD: RA45MKFC-- p. 40
 COD: RAC90FF--B p. 33	 COD: RAMFP--J-- p. 36	COD:	 COD: RA90MKFC-- p. 38	 COD: RA45FCFC-- p. 40
 COD: RAC45MF-- p. 34	 COD: RAC90MFL-- p. 35	COD:	 COD: RA90MKF-- p. 39	COD:
 COD: RAC45MF--B p. 34	 COD: RAC90MFP-- p. 35	COD:	 COD: RA90MF-- p. 39	COD:
 COD: RAC45FF-- p. 34	 COD: RAC90MFL--J-- p. 37	COD:	 COD: RA90MMX-- p. 39	COD:
 COD: RAC45FF--B p. 34	 COD: RAC90MFP--J-- p. 37	COD:	 COD: RA90FCFC-- p. 39	COD:
COD:	 COD: RAC45MFL-- p. 36	COD:	COD:	COD:

Per ulteriori informazioni consultare le NOTE GENERALI a tergo catalogo - For further informations please refer to the GENERAL NOTES listed on the back of the catalog - Pour ultérieures informations, s'il vous plait consulter les NOTES GENERALES au dos du catalog.

CONTENTS

 COD: RATMMM-- p. 41	 COD: RATMMMX-- p. 43	 COD: RACRM-- p. 44	 COD: RAPPM-- p. 44	COD:
 COD: RATMMM-B p. 41	 COD: RATFCFCFC-- p. 43	 COD: RACRFC-- p. 44	 COD: RAPPMFC-- p. 44	COD:
 COD: RATMMKM-- p. 41	 COD: RATFFF-- p. 43	COD:	COD:	COD:
 COD: RATMMM-- p. 41	COD:	COD:	COD:	COD:
 COD: RATFCMKFC-- p. 42	COD:	COD:	COD:	COD:
 COD: RATFCFCMK-- p. 42	COD:	COD:	COD:	COD:
 COD: RATMFM-- p. 42	COD:	COD:	COD:	COD:
 COD: RATMMF-- p. 42	COD:	COD:	COD:	COD:
 COD: RATMMXM-- p. 43	COD:	COD:	COD:	COD:

Per ulteriori informazioni consultare le NOTE GENERALI a tergo catalogo - For further informations please refer to the GENERAL NOTES listed on the back of the catalog - Pour ultérieures informations, s'il vous plait consulter les NOTES GENERALES au dos du catalog.





RQ SERIES



PARALLEL M/M EQUAL ADAPTER

ADAPTEUR M / M PARALLEL EGAUX

Technical drawing of a metric screw thread. The drawing shows a cross-section of the thread with a 60-degree angle. Dimensions F1 and F2 are indicated for the thread profile. The drawing is labeled "METRIC" in two green boxes.

PARALLEL M/M EQUAL ADAPTER

ADAPTEUR M / M PARALLEL EGAUX

PARALLEL M/M EQUAL ADAPTER SPOT FACING SEAT


**ADAPTEUR M / M PARALLEL EGAUX
LOGEMENT LAMAGE**

BSPT BSP

TAPER M / PARALLEL M EQUAL ADAPTER

**ADAPTEUR M CONIQUE / M
PARALLELE GAUX**

<i>CODICE</i> <i>CODE</i> <i>CODICE</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i>
	<i>F1</i>	<i>F2</i>
RQNM04TC	1/4" - 18	1/4" - 19
RQNM06TC	3/8" - 18	3/8" - 19
RQNM08TC	1/2" - 14	1/2" - 14
RQNM12TC	3/4" - 14	3/4" - 14




NIPLES DI CONGIUNZIONE MASCHIO CONICO / MASCHIO

TAPER M / PARALLEL M EQUAL
ADAPTER

ADAPTEUR M CONIQUE / M
PARALLEL EGAUX

<i>CODICE</i> <i>CODE</i> <i>CODICE</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i>
	<i>F1</i>	<i>F2</i>
RQNM0402	1/4" - 19	1/8" - 28
RQNM0602	3/8" - 19	1/8" - 28
RQNM0604	3/8" - 19	1/4" - 19
RQNM0804	1/2" - 14	1/4" - 19
RQNM0806	1/2" - 14	3/8" - 19
RQNM1006	5/8" - 14	3/8" - 19
RQNM1008	5/8" - 14	1/2" - 14
RQNM1204	3/4" - 14	1/4" - 19
RQNM1206	3/4" - 14	3/8" - 19
RQNM1208	3/4" - 14	1/2" - 14
RQNM1210	3/4" - 14	5/8" - 14
RQNM1606	1" - 11	3/8" - 19
RQNM1608	1" - 11	1/2" - 14
RQNM1610	1" - 11	5/8" - 14
RQNM1612	1" - 11	3/4" - 14
RQNM2012	1 1/4" - 11	3/4" - 14
RQNM2016	1 1/4" - 11	1" - 11
RQNM2408	1 1/2" - 11	1/2" - 14
RQNM2412	1 1/2" - 11	3/4" - 14
RQNM2416	1 1/2" - 11	1" - 11
RQNM2420	1 1/2" - 11	1 1/4" - 11
RQNM3216	2" - 11	1" - 11
RQNM3220	2" - 11	1 1/4" - 11
RQNM3224	2" - 11	1 1/2" - 11




NIPLES DI RIDUZIONE MASCHIO / MASCHIO

PARALLEL M / M REDUCING
ADAPTER

ADAPTEUR M / M PARALLEL
DECALES

<i>CODICE</i> <i>CODE</i> <i>CODICE</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i>
	<i>F1</i>	<i>F2</i>
RQNM02KK	1/8" - 28	1/8" - 28
RQNM04KK	1/4" - 19	1/4" - 19
RQNM06KK	3/8" - 19	3/8" - 19
RQNM08KK	1/2" - 14	1/2" - 14
RQNM10KK	5/8" - 14	5/8" - 14
RQNM12KK	3/4" - 14	3/4" - 14
RQNM16KK	1" - 11	1" - 11
RQNM20KK	1 1/4" - 11	1 1/4" - 11
RQNM24KK	1 1/2" - 11	1 1/2" - 11
RQNM32KK	2" - 11	2" - 11




NIPLES DI CONGIUNZIONE MASCHIO CONICO / MASCHIO CONICO

TAPER M / M EQUAL ADAPTER

ADAPTEUR M/M CONIQUE EGAUX

<i>CODICE</i> <i>CODE</i> <i>CODICE</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i>
	<i>F1</i>	<i>F2</i>
RQNM0604L	3/8" - 19	1/4" - 19
RQNM0804L	1/2" - 14	1/4" - 19
RQNM0806L	1/2" - 14	3/8" - 19
RQNM1208L	3/4" - 14	1/2" - 14
RQNM1612L	1" - 11	3/4" - 14
RQNM2012L	1 1/4" - 11	3/4" - 14
RQNM2016L	1 1/4" - 11	1" - 11
RQNM2416L	1 1/2" - 11	1" - 11
RQNM2420L	1 1/2" - 11	1 1/4" - 11
RQNM3224L	2" - 11	1 1/2" - 11



NIPLES DI RIDUZIONE MASCHIO / MASCHIO PER LAMATURA

PARALLEL M / M REDUCING
ADAPTER SPOT FACING SEAT

ADAPTEUR M / M PARALLEL
DECALES LOGEMENT LAMAGE

PARALLEL M / M REDUCING ADAPTER

ADAPTEUR M / M PARALLEL DECALES

TAPER M / PARALLEL M REDUCING ADAPTER

ADAPTEUR M CONIQUE / M
PARALLEL DECALES

Technical drawing of a 60° tapered plug. The drawing shows a cross-section of the plug with a 60° taper angle indicated on both sides. The dimensions F1 and F2 are shown as horizontal distances from the centerline to the outer edges of the plug. Below the drawing, there are two labels: 'BSP' and 'METRIC', indicating the thread types.

PARALLEL M / M REDUCING ADAPTER

ADAPTEUR M / M PARALLEL
DECALES

Technical drawing of a 60° tapered thread joint. The drawing shows a cross-section of a tapered plug and a tapered hole. The plug has a hexagonal head. The thread is labeled with dimensions F1 and F2. The angle of the taper is 60°. The standards SAE and BSP are indicated at the bottom.

NIPLES DI CONGIUNZIONE MASCHIO UNF / MASCHIO

UNF PARALLEL M / PARALLEL M
EQUAL ADAPTER

UNF ADAPTEUR M PARALLEL / M
PARALLEL EGAUX

Technical drawing of a tapered roller bearing assembly. The drawing shows a cross-section of the bearing with dimensions $F1$ and $F2$ indicated. The angle of the tapered rollers is 60° . The bearing is labeled **BSP** on both sides.

**NIPLES DI CONGIUNZIONE
MASCHIO / FEMMINA
GIREVOLE DADO SPINATO**

PARALLEL M / SWIVEL F EQUAL ADAPTER WIRE NUT

ADAPTEUR M / F TOURNANT
EGAUX ECROU A JONG

Technical drawing of a tapered roller bearing assembly. The diagram shows a cross-section of the bearing with two contact angles, $F1$ and $F2$, both labeled as 60° . The bearing is identified as **BSP** (Bore Standard Precision) in two locations.

**NIPLES DI CONGIUNZIONE
MASCHIO / FEMMINA
GIREVOLE**

PARALLEL M / SWIVEL F EQUAL ADAPTER

**ADAPTEUR M PARALLEL / F
TOURNANT EGAUX**


**NIPLES DI CONGIUNZIONE
MASCHIO / FEMMINA
GIREVOLE**

PARALLEL M / SWIVEL F EQUAL ADAPTER

ADAPTEUR M / F TOURNANT EGAUX



[illegible][illegible]


[illegible]

**NIPLES MASCHIO / FEMMINA
GIREVOLE PER MANOMETRO**

PARALLEL M / SWIVEL F TEST POINT

ADAPTEUR F / F TOURNANT EGAUX

<i>CODICE</i>		<i>FILETTO</i>	<i>FILETTO</i>
<i>CODE</i>		<i>THREAD</i>	<i>THREAD</i>
<i>CODICE</i>		<i>FILET</i>	<i>FILET</i>
		<i>F1</i>	<i>F2</i>
RQRMF0402L		1/4" - 19	1/8" - 28
RQRMF0410AL		1/4" - 19	10 x 1
RQRMF0602L		3/8" - 19	1/8" - 28
RQRMF0604L		3/8" - 19	1/4" - 19
RQRMF0804L		1/2" - 14	1/4" - 19
RQRMF0806L		1/2" - 14	3/8" - 19
RQRMF0814BL		1/2" - 14	14 x 1,5
RQRMF0816BL		1/2" - 14	16 x 1,5
RQRMF1204L		3/4" - 14	1/4" - 19
RQRMF1206L		3/4" - 14	3/8" - 19
RQRMF1208L		3/4" - 14	1/2" - 19
RQRMF1604L		1" - 11	1/4" - 19
RQRMF1606L		1" - 11	3/8" - 19
RQRMF1608L		1" - 11	1/2" - 14
RQRMF1612L		1" - 11	3/4" - 19
RQRMF2004L		1 1/4" - 11	1/4" - 19
RQRMF2008L		1 1/4" - 11	1/2" - 14
RQRMF2012L		1 1/4" - 11	3/4" - 14
RQRMF2016L		1 1/4" - 11	1" - 11
RQRMF2408L		1 1/2" - 11	1/2" - 14
RQRMF2412L		1 1/2" - 11	3/4" - 14
RQRMF2416L		1 1/2" - 11	1" - 11
RQRMF2420L		1 1/2" - 11	1 1/4" - 11
RQRMF3208L		2" - 11	1/2" - 14
RQRMF3216L		2" - 11	1" - 11
RQRMF3220L		2" - 11	1 1/4" - 11
RQRMF3224L		2" - 11	1 1/2" - 11
RQRMF14B10AL		14 x 1,5	10 x 1
RQRMF16B10AL		16 x 1,5	10 x 1
RQRMF18B04L		18 x 1,5	1/4" - 19
RQRMF18B12BL		18 x 1,5	12 x 1,5
RQRMF20B16BL		20 x 1,5	16 x 1,5
RQRMF22B04L		22 x 1,5	1/4" - 19
RQRMF22B06L		22 x 1,5	3/8" - 19
RQRMF22B16BL		22 x 1,5	16 x 1,5
RQRMF24B14BL		24 x 1,5	14 x 1,5
RQRMF26B14BL		26 x 1,5	14 x 1,5




**NIPLES DI RIDUZIONE
MASCHIO / FEMMINA
LEGGERA**

PARALLEL M / LIGHT F REDUCING ADAPTER

ADAPTEUR M PARALLEL / F LEGERE
DECALE

**NIPLES DI RIDUZIONE
MASCHIO / FEMMINA
PESANTE**

PARALLEL M / HEAVY F REDUCING ADAPTER

ADAPTEUR M PARALLEL / F LOURDE
DECALE


BSP

METRIC



EXTENSION PARALLEL M / PARALLEL F EQUAL ADAPTER

**PROLONGE M PARALLEL / F
PARALLEL EGAUX**



BSP

[illegible][illegible][illegible][illegible]

METRIC

TAPPO MASCHIO A ESAGONO INCASSATO

PARALLEL MALE PLUG ALLEN KEY

**BOUCHON MALE PARALLEL POUR
CLEF 6 PANS**

Technical drawing of a BSP thread profile. It shows a cross-section of a thread with a 60-degree angle. A force vector F_1 is applied to the thread. The drawing is labeled "BSP" in a green box.

TAPPO FEMMINA GIREVOLE

SWIVEL FEMALE PLUG

BOUCHON FEMALE TOURNANT

TAPPO MASCHIO A ESAGONO INCASSATO + G-TRAP

PARALLEL MALE PLUG ALLEN KEY
TRAPEZOIDAL SEAL

BOUCHON MALE PARALLEL
ETANCHEITE TRAPEZOIDAL

60°

F1

METRIC


TAPPO FEMMINA GIREVOLE

SWIVEL FEMALE PLUG

BOUCHON FEMALE TOURNANT



<i>CODICE</i>	<i>FILETTO</i>		<i>FILETTO</i>
<i>CODE</i>	<i>THREAD</i>		<i>THREAD</i>
<i>CODICE</i>	<i>FILET</i>	<i>mm</i>	<i>FILET</i>
	<i>F1</i>	<i>D</i>	<i>F2</i>
RQOM0404	1/4" - 19	13.5	1/4" - 19
RQOM0604	3/8" - 19	16.8	1/4" - 19
RQOM0606	3/8" - 19	16.8	3/8" - 19
RQOM0804	1/2" - 14	21.2	1/4" - 19
RQOM0806	1/2" - 14	21.2	3/8" - 19
RQOM0808	1/2" - 14	21.2	1/2" - 14
RQOM1010	5/8" - 14	23.2	5/8" - 14
RQOM1206	3/4" - 14	26.5	3/8" - 19
RQOM1208	3/4" - 14	26.5	1/2" - 14
RQOM1212	3/4" - 14	26.5	3/4" - 14
RQOM1612	1" - 11	33.5	3/4" - 14
RQOM1616	1" - 11	33.5	1" - 11




OCCHIO MASCHIO

PARALLEL MALE BANJO

BANJO MALE PARALLEL

7

<i>CODICE</i>	<i>FILETTO</i>		<i>FILETTO</i>
<i>CODE</i>	<i>THREAD</i>		<i>THREAD</i>
<i>CODICE</i>	<i>FILET</i>	<i>mm</i>	<i>FILET</i>
	<i>F1</i>	<i>D</i>	<i>F2</i>
RQOM0414B	1/4" - 19	13.5	14 x 1,5
RQOM0616B	3/8" - 19	16.8	16 x 1,5
RQOM0618B	3/8" - 19	16.8	18 x 1,5
RQOM0818B	1/2" - 14	21.2	18 x 1,5
RQOM0822B	1/2" - 14	21.2	22 x 1,5




OCCHIO MASCHIO

PARALLEL MALE BANJO

BANJO MALE PARALLEL

7

<i>CODICE</i>	<i>FILETTO</i>		<i>FILETTO</i>
<i>CODE</i>	<i>THREAD</i>		<i>THREAD</i>
<i>CODICE</i>	<i>FILET</i>	<i>mm</i>	<i>FILET</i>
	<i>F1</i>	<i>D</i>	<i>F2</i>
RQOM12B12B	12 x 1,5	12.2	12 x 1,5
RQOM12B14B	12 x 1,5	12.2	14 x 1,5
RQOM14B14B	14 x 1,5	14.2	14 x 1,5
RQOM14B16B	14 x 1,5	14.2	16 x 1,5
RQOM0616B	16 x 1,5	16.8	16 x 1,5
RQOM18B18B	18 x 1,5	18.2	18 x 1,5
RQOM18B22B	18 x 1,5	18.2	22 x 1,5
RQOM20B18B	20 x 1,5	20.2	18 x 1,5
RQOM20B20B	20 x 1,5	20.2	20 x 1,5
RQOM22B22B	22 x 1,5	22.2	22 x 1,5




OCCHIO MASCHIO

PARALLEL MALE BANJO

BANJO MALE PARALLEL

6 7

<i>CODICE</i>	<i>FILETTO</i>		<i>FILETTO</i>
<i>CODE</i>	<i>THREAD</i>		<i>THREAD</i>
<i>CODICE</i>	<i>FILET</i>	<i>mm</i>	<i>FILET</i>
	<i>F1</i>	<i>D</i>	<i>F2</i>
RQOM12B04	12 x 1,5	12.2	1/4" - 19
RQOM14B04	14 x 1,5	14.2	1/4" - 19
RQOM0604	16 x 1,5	16.8	1/4" - 19
RQOM18B04	18 x 1,5	18.2	1/4" - 19
RQOM18B06	18 x 1,5	18.2	3/8" - 19
RQOM18B08	18 x 1,5	18.2	1/2" - 14
RQOM22B06	22 x 1,5	22.2	3/8" - 19
RQOM22B08	22 x 1,5	22.2	1/2" - 14




OCCHIO MASCHIO

PARALLEL MALE BANJO

BANJO MALE PARALLEL

7

[illegible]


	CODICE	FILETTO			
	CODE	THREAD			
	CODICE	FILET	mm	mm	mm
		F1	D	B	L
	TS004/10L100	1/4" - 19	13.5	10	100
	TS004/10L150	1/4" - 19	13.5	10	150
	TS004/10L200	1/4" - 19	13.5	10	200
	TS004/10L250	1/4" - 19	13.5	10	250
	TS004/10L300	1/4" - 19	13.5	10	300
	TS004/10L350	1/4" - 19	13.5	10	350
	TS006/12L100	3/8" - 19	16.8	12	100
	TS006/12L150	3/8" - 19	16.8	12	150
	TS006/12L200	3/8" - 19	16.8	12	200
	TS006/12L250	3/8" - 19	16.8	12	250
	TS006/12L300	3/8" - 19	16.8	12	300
	TS006/12L350	3/8" - 19	16.8	12	350
	TS008/15L100	1/2" - 14	21.2	15	100
	TS008/15L150	1/2" - 14	21.2	15	150
	TS008/15L200	1/2" - 14	21.2	15	200
	TS008/15L250	1/2" - 14	21.2	15	250
	TS008/15L300	1/2" - 14	21.2	15	300
	TS008/15L350	1/2" - 14	21.2	15	350
OCCHIO CON ESTREMITÀ TUBOLARE LUNGO	TS018B/12L100	18 x 1.5	18.2	12	100
	TS018B/12L200	18 x 1.5	18.2	12	200
	TS018B/12L300	18 x 1.5	18.2	12	300
LONG WELDING BANJO					
BANJO A BRASER LONG					

[illegible][illegible]

	CODICE	FILETTO	
	CODE	THREAD	
	CODICE	FILET	mm
		F1	B
	RQMNE04T8	1/4" - 19	8
	RQMNE04T10	1/4" - 19	10
	RQMNE04T12	1/4" - 19	12
	RQMNE04T16	1/4" - 19	16
	RQMNE06T10	3/8" - 19	10
	RQMNE06T12	3/8" - 19	12
	RQMNE06T14	3/8" - 19	14
	RQMNE06T15	3/8" - 19	15
	RQMNE06T16	3/8" - 19	16
	RQMNE08T12	1/2" - 14	12
	RQMNE08T14	1/2" - 14	14
	RQMNE08T15	1/2" - 14	15
	RQMNE08T16	1/2" - 14	16
	RQMNE08T18	1/2" - 14	18
	RQMNE08T20	1/2" - 14	20
	RQMNE08T22	1/2" - 14	22
	RQMNE08T25	1/2" - 14	25
	RQMNE10T16	5/8" - 14	16
	RQMNE10T20	5/8" - 14	20
	RQMNE10T22	5/8" - 14	22
	RQMNE12T16	3/4" - 14	16
	RQMNE12T18	3/4" - 14	18
	RQMNE12T20	3/4" - 14	20
	RQMNE12T22	3/4" - 14	22
	RQMNE12T25	3/4" - 14	25
	RQMNE16T25	1" - 11	25
	RQMNE20T25	1 1/4" - 11	25
	RQMNE20T30	1 1/4" - 11	30
	RQMNE20T32	1 1/4" - 11	32
	RQMNE20T35	1 1/4" - 11	35
	RQMNE24T35	1 1/2" - 11	35
	RQMNE24T38	1 1/2" - 11	38
	RQMNE32T48	2" - 11	48

[illegible]

CODICE CODE CODICE	FILETTO THREAD FILET	mm
F1	B	
RQGTS04	1/4" - 19	13.2
RQGTS06	3/8" - 19	16.7
RQGTS08	1/2" - 14	21
RQGTS12	3/4" - 14	26.4
RQGTS16	1" - 11	33.2
RQGTS20	1 1/4" - 11	41.9
RQGTS24	1 1/2" - 11	47.8
RQGTS32	2" - 11	59.6



BSP


GIUNZIONE TONDA A SALDARE MASCHIO

WELDING PARALLEL MALE
CYLINDRICAL JUNCTION

MALE PARALLEL CYL JOINT
A BRASER

6

CODICE CODE CODICE	FILETTO THREAD FILET	mm
F1	B	
RQGTS14B	14 x 1.5	14
RQGTS16B	16 x 1.5	16
RQGTS18B	18 x 1.5	18
RQGTS22B	22 x 1.5	22



METRIC

GIUNZIONE TONDA A SALDARE MASCHIO


WELDING PARALLEL MALE
CYLINDRICAL JUNCTION

MALE PARALLEL CYL JOINT
A BRASER

6

CODICE CODE CODICE	FILETTO THREAD FILET	mm
F1	B	

RQMNE04ST8	1/4"-19	8
RQMNE04ST10	1/4"-19	10
RQMNE04ST12	1/4"-19	12
RQMNE04ST16	1/4"-19	16
RQMNE06ST10	3/8"-19	10
RQMNE06ST12	3/8"-19	12
RQMNE06ST14	3/8"-19	14
RQMNE06ST15	3/8"-19	15
RQMNE06ST16	3/8"-19	16
RQMNE08ST12	1/2"-14	12
RQMNE08ST14	1/2"-14	14
RQMNE08ST15	1/2"-14	15
RQMNE08ST16	1/2"-14	16
RQMNE08ST18	1/2"-14	18
RQMNE08ST20	1/2"-14	20
RQMNE08ST22	1/2"-14	22
RQMNE08ST25	1/2"-14	25
RQMNE10ST16	5/8"-14	16
RQMNE10ST20	5/8"-14	20
RQMNE10ST22	5/8"-14	22
RQMNE12ST16	3/4"-14	16
RQMNE12ST18	3/4"-14	18
RQMNE12ST20	3/4"-14	20
RQMNE12ST22	3/4"-14	22
RQMNE12ST25	3/4"-14	25
RQMNE16ST25	1"- 11	25
RQMNE20ST25	1 1/4"-11	25
RQMNE20ST30	1 1/4"-11	30
RQMNE20ST32	1 1/4"-11	32
RQMNE20ST35	1 1/4"-11	35
RQMNE24ST35	1 1/2"-11	35
RQMNE24ST38	1 1/2"-11	38
RQMNE32ST48	2"-11	48



BSP

MEZZO NIPLES MASCHIO A SALDARE DI TESTA


PARALLEL MALE BUSH BUTT
WELDING

MALE PARALLEL A BRASURE DE TETE

6

CODICE CODE CODICE	FILETTO THREAD FILET	mm
F1	B	

RQMNE14BST8	14 x 1,5	8
RQMNE14BST10	14 x 1,5	10
RQMNE14BST12	14 x 1,5	12
RQMNE14BST16	14 x 1,5	16
RQMNE16BST10	16 x 1,5	10
RQMNE16BST12	16 x 1,5	12
RQMNE18BST12	18 x 1,5	12
RQMNE18BST14	18 x 1,5	14
RQMNE18BST16	18 x 1,5	16
RQMNE18BST20	18 x 1,5	20
RQMNE20BST14	20 x 1,5	14
RQMNE20BST20	20 x 1,5	20
RQMNE22BST14	22 x 1,5	14
RQMNE22BST15	22 x 1,5	15
RQMNE22BST16	22 x 1,5	16
RQMNE22BST20	22 x 1,5	20
RQMNE26BST20	26 x 1,5	20
RQMNE33CST30	33 x 2	30




METRIC


MEZZO NIPLES MASCHIO A SALDARE DI TESTA


PARALLEL MALE BUSH BUTT
WELDING


MALE PARALLEL A BRASURE DE TETE

6

	CODICE	FILETTO
	CODE	THREAD
	CODICE	FILET
		F1
 	RQMNE10A	10 x 1
	RQMNE12B	12 x 1,5
	RQMNE14B	14 x 1,5
	RQMNE16B	16 x 1,5
	RQMNE18B	18 x 1,5
	RQMNE20B	20 x 1,5
	RQMNE22B	22 x 1,5
	RQMNE26B	26 x 1,5
	RQMNE30B	30 x 1,5
MEZZO NIPLES MASCHIO A SALDARE		
WELDING PARALLEL MALE BUSH		
MALE PARALLEL A BRASURE		

	CODICE	FILETTO	
	CODE	THREAD	mm
	CODICE	FILET	B
		F1	
 	RQMNE14BT8	14 x 1,5	8
	RQMNE14BT10	14 x 1,5	10
	RQMNE14BT12	14 x 1,5	12
	RQMNE14BT16	14 x 1,5	16
	RQMNE16BT10	16 x 1,5	10
	RQMNE16BT12	16 x 1,5	12
	RQMNE18BT12	18 x 1,5	12
	RQMNE18BT14	18 x 1,5	14
	RQMNE18BT16	18 x 1,5	16
	RQMNE18BT20	18 x 1,5	20
	RQMNE20BT14	20 x 1,5	14
	RQMNE20BT20	20 x 1,5	20
	RQMNE22BT14	22 x 1,5	14
	RQMNE22BT15	22 x 1,5	15
	RQMNE22BT16	22 x 1,5	16
	RQMNE22BT20	22 x 1,5	20
	RQMNE26BT20	26 x 1,5	20
	RQMNE33CT30	30 x 2	30
MEZZO NIPLES MASCHIO A SALDARE DI TASCA			
WELDING PARALLEL MALE BUSH (WELD. SOCKET)			
MALE PARALLEL AVEC LOGEMENT DE BRASURE			


	CODICE	FILETTO	
	CODE	THREAD	mm
	CODICE	FILET	D
		F1	
 	RQMND6L	12 x 1,5	6
	RQMND8L	14 x 1,5	8
	RQMND10L	16 x 1,5	10
	RQMND12L	18 x 1,5	12
	RQMND15L	22 x 1,5	15
	RQMND18L	26 x 1,5	18
	RQMND22L	30 x 2	22
	RQMND28L	36 x 2	28
	RQMND35L	45 x 2	35,3
	RQMND42L	52 x 2	42,3
MEZZO NIPLES MASCHIO CON SEDE DIN 24° SERIE LEGGERA A SALDARE			
WELDING PARALLEL MALE BUSH WITH DIN 24° SEAT (LIGHT)			
MALE PARALLEL DIN 2353 LEGERE A BRASURE			

	CODICE	FILETTO		
	CODE	THREAD	mm	mm
	CODICE	FILET	D	B
		F1		
 	RQMND10LT10	16 x 1,5	10	10
	RQMND12LT12	18 x 1,5	12	12
	RQMND12LT14	18 x 1,5	12	14
	RQMND12LT15	18 x 1,5	12	15
	RQMND12LT16	18 x 1,5	12	16
	RQMND15LT14	22 x 1,5	15	14
	RQMND15LT15	22 x 1,5	15	15
	RQMND15LT16	22 x 1,5	15	16
	RQMND18LT18	26 x 1,5	18	18
	RQMND18LT20	26 x 1,5	18	20
	RQMND28LT25	36 x 2	28	25
	RQMND28LT32	36 x 2	28	32
	RQMND35LT32	45 x 2	35,3	32
MEZZO NIPLES MASCHIO CON SEDE DIN 24° SERIE LEGGERA A SALDARE DI TASCA				
WELDING PARALLEL MALE BUSH WITH DIN 24° SEAT (LIGHT, WELD. SOCKET)				
MALE PARALLEL DIN 24° LEGERE AVEC LOGEMENT DE BRASURE				

Per ulteriori informazioni consultare le NOTE GENERALI a tergo catalogo - For further informations please refer to the GENERAL NOTES listed on the back of the catalog - Pour ultérieures informations, s'il vous plaît consulter les NOTES GENERALES au dos du catalog.

[illegible][illegible][illegible][illegible]

	CODICE	FILETTO	mm
	CODE	THREAD	
	CODICE	FILET	
		F1	B
	RQOGS04T8	1/4" - 19	8
	RQOGS04T10	1/4" - 19	10
	RQOGS04T12	1/4" - 19	12
	RQOGS06T8	3/8" - 19	8
	RQOGS06T10	3/8" - 19	10
	RQOGS06T12	3/8" - 19	12
	RQOGS06T14	3/8" - 19	14
	RQOGS08T12	1/2" - 14	12
	RQOGS08T14	1/2" - 14	14
	RQOGS08T15	1/2" - 14	15
	RQOGS08T16	1/2" - 14	16
	RQOGS08T20	1/2" - 14	20
	RQOGS10T16	5/8" - 14	16
	RQOGS10T18	5/8" - 14	18
	RQOGS12T18	3/4" - 14	18
	RQOGS12T20	3/4" - 14	20
	RQOGS12T22	3/4" - 14	22
	RQOGS12T25	3/4" - 14	25
	RQOGS16T25	1" - 11	25
	RQOGS16T32	1" - 11	32
	RQOGS20T25	1 1/4" - 11	25
	RQOGS20T30	1 1/4" - 11	30
	RQOGS20T32	1 1/4" - 11	32
	RQOGS24T35	1 1/2" - 11	35
	RQOGS24T38	1 1/2" - 11	38
	RQOGS24T42	1 1/2" - 11	42
	RQOGS32T48	2" - 11	48




FEMMINA GIREVOLE A SALDARE DI TASCA

WELDING SWIVEL FEMALE
(WELD. SOCKET)

FEMALE TOURNANT AVEC
LOGEMENT DE BRASURE

	CODICE	FILETTO	mm
	CODE	THREAD	
	CODICE	FILET	
		F1	B
	RQOGS12BT10	12 x 1,5	10
	RQOGS14BT8	14 x 1,5	8
	RQOGS14BT10	14 x 1,5	10
	RQOGS14BT12	14 x 1,5	12
	RQOGS16BT10	16 x 1,5	10
	RQOGS16BT12	16 x 1,5	12
	RQOGS18BT10	18 x 1,5	10
	RQOGS18BT12	18 x 1,5	12
	RQOGS18BT14	18 x 1,5	14
	RQOGS20BT12	20 x 1,5	12
	RQOGS22BT12	22 x 1,5	12
	RQOGS22BT14	22 x 1,5	14
	RQOGS22BT15	22 x 1,5	15
	RQOGS22BT16	22 x 1,5	16
	RQOGS30BT20	30 x 1,5	20




FEMMINA GIREVOLE A SALDARE DI TASCA

WELDING SWIVEL FEMALE
(WELD. SOCKET)

FEMALE TOURNANT AVEC
LOGEMENT DE BRASURE

	CODICE	FILETTO	O-RING	
	CODE	THREAD		
	CODICE	FILET		
		F1	D	GOR
	RQOGS004ST10	1/4" - 19	10	010/1
	RQOGS006ST15	3/8" - 19	15	012/1.6
	RQOGS008ST16	1/2" - 14	16	014/1.6



FEMMINA GIREVOLE SEDE O-RING A SALDARE DI TESTA

SWIVEL FEMALE BUTT WELDING
O-RING SEAT

FEMALE TOURNANT A BRASER DE
TETE JOINT TORIQUE LOGEMENT

2

BSP

BORCHIA A SALDARE

LEAD STEEL WELDING BOSS

BOSSE EN ACIER AU PLOMB A BRASER

A cross-sectional diagram of a bolted joint. A bolt is shown passing through a plate. A downward arrow labeled F_1 indicates a tension force applied to the bolt head.

BSP

BORCHIA A SALDARE IN Fe

MILD STEEL WELDING BOSS

BOSSE EN ACIER DOUX A BRASER

6

METRIC

BORCHIA A SALDARE

LEAD STEEL WELDING BOSS


BOSSE EN ACIER AU PLOMB A BRASER


METRIC

BORCHIA A SALDARE IN Fe

MILD STEEL WELDING BOSS

BOSSE EN ACIER DOUX A BRASER


	CODICE CODE CODICE	FILETTO THREAD FILET	mm	
	F1	D	B	
 BSP	RQOS02T4	1/8" - 28	10.1	4
	RQOS02T5	1/8" - 28	10.1	5
	RQOS02T6	1/8" - 28	10.1	6
	RQOS02T8	1/8" - 28	10.1	8
	RQOS02T10	1/8" - 28	10.1	10
	RQOS04T6	1/4" - 19	13.5	6
	RQOS04T8	1/4" - 19	13.5	8
	RQOS04T10	1/4" - 19	13.5	10
	RQOS04T12	1/4" - 19	13.5	12
	RQOS06T8	3/8" - 19	16.8	8
	RQOS06T10	3/8" - 19	16.8	10
	RQOS06T12	3/8" - 19	16.8	12
	RQOS06T14	3/8" - 19	16.8	14
	RQOS08T12	1/2" - 14	21.2	12
	RQOS08T14	1/2" - 14	21.2	14
	RQOS08T15	1/2" - 14	21.2	15
	RQOS08T16	1/2" - 14	21.2	16
	RQOS08T18	1/2" - 14	21.2	18
	RQOS08T20	1/2" - 14	21.2	20
	RQOS10T18	5/8" - 14	23.2	18
	RQOS12T18	3/4" - 14	26.5	18
	RQOS12T20	3/4" - 14	26.5	20
	RQOS12T22	3/4" - 14	26.5	22
	RQOS16T22	1" - 11	33.5	22
	RQOS16T25	1" - 11	33.5	25
	RQOS16T28	1" - 11	33.5	28
OCCHIO A SALDARE DI TASCA				
BANJO WITH WELDING SOCKET				
BANJO AVEC LOGEMENT DE BRASURE				

	CODICE CODE CODICE	FILETTO THREAD FILET	mm	
	F1	D	B	
 METRIC	RQOS8AT4	8 x 1	8.2	4
	RQOS8AT5	8 x 1	8.2	5
	RQOS8AT6	8 x 1	8.2	6
	RQOS02T4	10 x 1	10.2	4
	RQOS02T5	10 x 1	10.2	5
	RQOS02T6	10 x 1	10.2	6
	RQOS02T8	10 x 1	10.2	8
	RQOS12BT5	12 x 1,5	12.2	5
	RQOS12BT6	12 x 1,5	12.2	6
	RQOS12BT8	12 x 1,5	12.2	8
	RQOS12BT10	12 x 1,5	12.2	10
	RQOS14BT6	14 x 1,5	14.2	6
	RQOS14BT8	14 x 1,5	14.2	8
	RQOS14BT10	14 x 1,5	14.2	10
	RQOS14BT12	14 x 1,5	14.2	12
	RQOS06T8	16 x 1,5	16.8	8
	RQOS06T10	16 x 1,5	16.8	10
	RQOS06T12	16 x 1,5	16.8	12
	RQOS06T14	16 x 1,5	16.8	14
	RQOS18BT12	18 x 1,5	18.2	12
	RQOS18BT14	18 x 1,5	18.2	14
	RQOS18BT15	18 x 1,5	18.2	15
	RQOS18BT16	18 x 1,5	18.2	16
	RQOS18BT17	18 x 1,5	18.2	17
	RQOS18BT18	18 x 1,5	18.2	18
	RQOS20BT12	20 x 1,5	20.2	12
	RQOS20BT14	20 x 1,5	20.2	14
	RQOS20BT15	20 x 1,5	20.2	15
	RQOS20BT16	20 x 1,5	20.2	16
	RQOS22BT12	22 x 1,5	22.2	12
	RQOS22BT14	22 x 1,5	22.2	14
	RQOS22BT15	22 x 1,5	22.2	15
	RQOS22BT16	22 x 1,5	22.2	16
	RQOS22BT18	22 x 1,5	22.2	18
	RQOS24BT16	24 x 1,5	24.2	16
	RQOS24BT18	24 x 1,5	24.2	18
	RQOS24BT20	24 x 1,5	24.2	20
	RQOS12T20	26 x 1,5	26.5	20
	RQOS12T22	26 x 1,5	26.5	22
	RQOS30BT20	30 x 1,5	30.2	20
	RQOS30BT22	30 x 1,5	30.2	22
OCCHIO A SALDARE DI TASCA				
BANJO WITH WELDING SOCKET				
BANJO AVEC LOGEMENT DE BRASURE				

RQ

RQ

<i>CODICE</i>	<i>FILETTO</i>		
<i>CODE</i>	<i>THREAD</i>		
<i>CODICE</i>	<i>FILET</i>		mm
	F1	L	H
RQRR02	1/8" - 28	16	1,5
RQRR04	1/4" - 19	19	1,5
RQRR06	3/8" - 19	23	1,5
RQRR08	1/2" - 14	27	1,5
RQRR10	5/8" - 14	30	1,5
RQRR12	3/4" - 14	33	1,5
RQRR16	1" - 11	40	1,5
RQRR20	1 1/4" - 11	50	1,5
RQRR24	1 1/2" - 11	55	1,5
RQRR32	2" - 11	68	1,5




BSP

RONDELLA IN RAME

COPPER WASHER

RONDELLE D'ENTACHEITE EN CUIVRE

<i>CODICE</i>	<i>FILETTO</i>		
<i>CODE</i>	<i>THREAD</i>		
<i>CODICE</i>	<i>FILET</i>		mm
	F1	L	H
RQRR6A	6 x 1	12	1,5
RQRR8A	8 x 1	14	1,5
RQRR10A	10 x 1	16	1,5
RQRR12B	12 x 1,5	18	1,5
RQRR14B	14 x 1,5	20	1,5
RQRR16B	16 x 1,5	22	1,5
RQRR18B	18 x 1,5	24	1,5
RQRR20B	20 x 1,5	26	1,5
RQRR22B	22 x 1,5	28	1,5
RQRR24B	24 x 1,5	30	1,5
RQRR26B	26 x 1,5	32	1,5
RQRR28B	28 x 1,5	34	1,5
RQRR30B	30 x 1,5	36	1,5




METRIC

RONDELLA IN RAME

COPPER WASHER

RONDELLE D'ENTACHEITE EN CUIVRE

<i>CODICE</i>	<i>FILETTO</i>		
<i>CODE</i>	<i>THREAD</i>		
<i>CODICE</i>	<i>FILET</i>		mm
	F1	L	H
RQRRR02	1/8" - 28	16	1,5
RQRRR04	1/4" - 19	19	1,5
RQRRR06	3/8" - 19	23	1,5
RQRRR08	1/2" - 14	27	1,5
RQRRR10	5/8" - 14	30	1,5
RQRRR12	3/4" - 14	33	1,5
RQRRR16	1" - 11	40	1,5
RQRRR20	1 1/4" - 11	50	1,5
RQRRR24	1 1/2" - 11	55	1,5
RQRRR32	2" - 11	68	1,5




BSP

RONDELLA IN RAME RICOTTO

MILD COPPER WASHER

RONDELLE D'ENTACHEITE EN CUIVRE DOUX

<i>CODICE</i>	<i>FILETTO</i>		
<i>CODE</i>	<i>THREAD</i>		
<i>CODICE</i>	<i>FILET</i>		mm
	F1	L	H
RQRRR6A	6 x 1	12	1,5
RQRRR8A	8 x 1	14	1,5
RQRRR10A	10 x 1	16	1,5
RQRRR12B	12 x 1,5	18	1,5
RQRRR14B	14 x 1,5	20	1,5
RQRRR16B	16 x 1,5	22	1,5
RQRRR18B	18 x 1,5	24	1,5
RQRRR20B	20 x 1,5	26	1,5
RQRRR22B	22 x 1,5	28	1,5
RQRRR24B	24 x 1,5	30	1,5
RQRRR26B	26 x 1,5	32	1,5
RQRRR28B	28 x 1,5	34	1,5
RQRRR30B	30 x 1,5	36	1,5
RQRRR32B	32 x 1,5	38	1,5
RQRRR42C	42 x 2	50	1,5



METRIC

RONDELLA IN RAME RICOTTO

MILD COPPER WASHER

RONDELLE D'ENTACHEITE EN CUIVRE DOUX

[illegible][illegible][illegible][illegible]

Technical drawing of a bolt and nut assembly. The drawing shows a bolt passing through a plate, secured with a nut and washer. Dimension F1 indicates the length of the bolt, and dimension B indicates the thickness of the plate. The word METRIC is written below the drawing.

EMBOUT FREIN MALE PARALLEL

EMBOUT AGRICOLE M PARALLEL
FRANCAIS / F PARALLEL


Technical drawing of a plug valve handle. The drawing shows a cross-section of the handle with two dimensions: F1 (the length of the handle) and F2 (the length of the handle from the center of the plug to the end). The handle is labeled METRIC and BSPT.


EMBOUT AGRICOLE M PARALLEL
FRANÇAIS /M CONIQUE





RA SERIES





	CODICE	FILETTO	FILETTO
	CODE	THREAD	THREAD
	CODICE	FILET	FILET
		F1	F2
	RAC90MF04	1/4" - 19	1/4" - 19
	RAC90MF06	3/8" - 19	3/8" - 19
	RAC90MF08	1/2" - 14	1/2" - 14
	RAC90MF10	5/8" - 14	5/8" - 14
	RAC90MF12	3/4" - 14	3/4" - 14
	RAC90MF16	1" - 11	1" - 11
	RAC90MF20	1 1/4" - 11	1 1/4" - 11
	RAC90MF24	1 1/2" - 11	1 1/2" - 11
	RAC90MF32	2" - 11	2" - 11
CURVA 90° MASCHIO / FEMMINA GIREVOLE			
PARALLEL M / SWIVEL F 90° ELBOW			
COUDE 90° M PARALLEL / F TOURNANT			


	CODICE	FILETTO	FILETTO
	CODE	THREAD	THREAD
	CODICE	FILET	FILET
		F1	F2
	RAC90MF12B	12 x 1.5	12 x 1.5
	RAC90MF14B	14 x 1.5	14 x 1.5
	RAC90MF16B	16 x 1.5	16 x 1.5
	RAC90MF18B	18 x 1.5	18 x 1.5
	RAC90MF20B	20 x 1.5	20 x 1.5
	RAC90MF22B	22 x 1.5	22 x 1.5
	RAC90MF26B	26 x 1.5	26 x 1.5
	RAC90MF20C	20 x 2	20 x 2
	RAC90MF36C	36 x 2	36 x 2
CURVA 90° MASCHIO / FEMMINA GIREVOLE			
PARALLEL M / SWIVEL F 90° ELBOW			
COUDE 90° M PARALLEL / F TOURNANT			


	CODICE	FILETTO	FILETTO
	CODE	THREAD	THREAD
	CODICE	FILET	FILET
		F1	F2
	RAC90FF04	1/4" - 19	1/4" - 19
	RAC90FF06	3/8" - 19	3/8" - 19
	RAC90FF08	1/2" - 14	1/2" - 14
	RAC90FF10	5/8" - 14	5/8" - 14
	RAC90FF12	3/4" - 14	3/4" - 14
	RAC90FF16	1" - 11	1" - 11
	RAC90FF20	1 1/4" - 11	1 1/4" - 11
	RAC90FF24	1 1/2" - 11	1 1/2" - 11
	RAC90FF32	2" - 11	2" - 11
CURVA 90° FEMMINA GIREVOLE / FEMMINA GIREVOLE			
SWIVEL F / F 90° ELBOW			
COUDE 90° F / F TOURNANT			

	CODICE	FILETTO	FILETTO
	CODE	THREAD	THREAD
	CODICE	FILET	FILET
		F1	F2
	RAC90FF12B	12 x 1.5	12 x 1.5
	RAC90FF14B	14 x 1.5	14 x 1.5
	RAC90FF16B	16 x 1.5	16 x 1.5
	RAC90FF18B	18 x 1.5	18 x 1.5
	RAC90FF20B	20 x 1.5	20 x 1.5
	RAC90FF22B	22 x 1.5	22 x 1.5
	RAC90FF26B	26 x 1.5	26 x 1.5
	RAC90FF20C	20 x 2	20 x 2
	RAC90FF36C	36 x 2	36 x 2
CURVA 90° FEMMINA GIREVOLE / FEMMINA GIREVOLE			
SWIVEL F / F 90° ELBOW			
COUDE 90° F / F TOURNANT			


	CODICE	FILETTO	FILETTO
	CODE	THREAD	THREAD
	CODICE	FILET	FILET
		F1	F2
	RAC45MF04	1/4" - 19	1/4" - 19
	RAC45MF06	3/8" - 19	3/8" - 19
	RAC45MF08	1/2" - 14	1/2" - 14
	RAC45MF10	5/8" - 14	5/8" - 14
	RAC45MF12	3/4" - 14	3/4" - 14
	RAC45MF16	1" - 11	1" - 11
	RAC45MF20	1 1/4" - 11	1 1/4" - 11
	RAC45MF24	1 1/2" - 11	1 1/2" - 11
	RAC45MF32	2" - 11	2" - 11
CURVA 45° MASCHIO / FEMMINA GIREVOLE			
PARALLEL M / SWIVEL F 45° ELBOW			
COUDE 45° M PARALLEL / F TOURNANT			

	CODICE	FILETTO	FILETTO
	CODE	THREAD	THREAD
	CODICE	FILET	FILET
		F1	F2
	RAC45MF12B	12 x 1.5	12 x 1.5
	RAC45MF14B	14 x 1.5	14 x 1.5
	RAC45MF16B	16 x 1.5	16 x 1.5
	RAC45MF18B	18 x 1.5	18 x 1.5
	RAC45MF20B	20 x 1.5	20 x 1.5
	RAC45MF22B	22 x 1.5	22 x 1.5
	RAC45MF26B	26 x 1.5	26 x 1.5
	RAC45MF20C	20 x 2	20 x 2
	RAC45MF36C	36 x 2	36 x 2
CURVA 45° MASCHIO / FEMMINA GIREVOLE			
PARALLEL M / SWIVEL F 45° ELBOW			
COUDE 45° M PARALLEL / F TOURNANT			

	CODICE	FILETTO	FILETTO
	CODE	THREAD	THREAD
	CODICE	FILET	FILET
		F1	F2
	RAC45FF04	1/4" - 19	1/4" - 19
	RAC45FF06	3/8" - 19	3/8" - 19
	RAC45FF08	1/2" - 14	1/2" - 14
	RAC45FF10	5/8" - 14	5/8" - 14
	RAC45FF12	3/4" - 14	3/4" - 14
	RAC45FF16	1" - 11	1" - 11
	RAC45FF20	1 1/4" - 11	1 1/4" - 11
	RAC45FF24	1 1/2" - 11	1 1/2" - 11
	RAC45FF32	2" - 11	2" - 11
CURVA 45° FEMMINA GIREVOLE / FEMMINA GIREVOLE			
SWIVEL F / F 45° ELBOW			
COUDE 45° F / F TOURNANT			

	CODICE	FILETTO	FILETTO
	CODE	THREAD	THREAD
	CODICE	FILET	FILET
		F1	F2
	RAC45FF12B	12 x 1.5	12 x 1.5
	RAC45FF14B	14 x 1.5	14 x 1.5
	RAC45FF16B	16 x 1.5	16 x 1.5
	RAC45FF18B	18 x 1.5	18 x 1.5
	RAC45FF20B	20 x 1.5	20 x 1.5
	RAC45FF22B	22 x 1.5	22 x 1.5
	RAC45FF26B	26 x 1.5	26 x 1.5
CURVA 45° FEMMINA GIREVOLE / FEMMINA GIREVOLE			
SWIVEL F / F 45° ELBOW			
COUDE 45° F / F TOURNANT			

<i>CODICE</i>	<i>FILETTO</i>	<i>FLANGIA</i>	
<i>CODE</i>	<i>THREAD</i>	<i>FLANGE</i>	
<i>CODICE</i>	<i>FILET</i>	<i>BRIDE</i>	
	<i>F1</i>	<i>D</i>	<i>D</i>
RAMFL08	1/2" - 14	1/2"	30
RAMFL12	3/4" - 14	3/4"	38
RAMFL16	1" - 11	1"	44,5
RAMFL20	1 1/4" - 11	1 1/4"	50,8
RAMFL24	1 1/2" - 11	1 1/2"	60
RAMFL32	2" - 11	2"	71,4




BSP FL 3000

ADATTATORE DIRITTO MASCHIO / FLANGIA SAE J 518 PSI 3000

PARALLEL M / SAE FLANGE J518
3000 PSI ADAPTERADAPTEUR M PARALLEL / BRIDE SAE
J518 3000PSI

2 3

<i>CODICE</i>	<i>FILETTO</i>	<i>FLANGIA</i>	
<i>CODE</i>	<i>THREAD</i>	<i>FLANGE</i>	
<i>CODICE</i>	<i>FILET</i>	<i>BRIDE</i>	
	<i>F1</i>	<i>D</i>	<i>D</i>
RAMFP08	1/2" - 14	1/2"	31,7
RAMFP12	3/4" - 14	3/4"	41,3
RAMFP16	1" - 11	1"	47,5
RAMFP20	1 1/4" - 11	1 1/4"	54
RAMFP24	1 1/2" - 11	1 1/2"	63,5
RAMFP32	2" - 11	2"	79,4




BSP FL 6000

ADATTATORE DIRITTO MASCHIO / FLANGIA SAE J 518 PSI 6000

PARALLEL M / SAE FLANGE J518
6000 PSI ADAPTERADAPTEUR M PARALLEL / BRIDE SAE
J518 6000PSI

2 3

<i>CODICE</i>	<i>FILETTO</i>	<i>FLANGIA</i>	
<i>CODE</i>	<i>THREAD</i>	<i>FLANGE</i>	
<i>CODICE</i>	<i>FILET</i>	<i>BRIDE</i>	
	<i>F1</i>	<i>D</i>	<i>D</i>
RAC90MFL08	1/2" - 14	1/2"	31,7
RAC90MFL12	3/4" - 14	3/4"	41,3
RAC90MFL16	1" - 11	1"	47,5
RAC90MFL20	1 1/4" - 11	1 1/4"	54
RAC90MFL24	1 1/2" - 11	1 1/2"	63,5
RAC90MFL32	2" - 11	2"	79,4




BSP

CURVA 90° MASCHIO / FLANGIA SAE J 518 PSI 3000

PARALLEL M / SAE FLANGE J518
3000 PSI 90° ELBOWCOUDE 90° M PARALLEL / BRIDE SAE
J518 3000PSI

2 3

<i>CODICE</i>	<i>FILETTO</i>	<i>FLANGIA</i>	
<i>CODE</i>	<i>THREAD</i>	<i>FLANGE</i>	
<i>CODICE</i>	<i>FILET</i>	<i>BRIDE</i>	
	<i>F1</i>	<i>D</i>	<i>D</i>
RAC90MFP08	1/2" - 14	1/2"	31,7
RAC90MFP12	3/4" - 14	3/4"	41,3
RAC90MFP16	1" - 11	1"	47,5
RAC90MFP20	1 1/4" - 11	1 1/4"	54
RAC90MFP24	1 1/2" - 11	1 1/2"	63,5
RAC90MFP32	2" - 11	2"	79,4



BSP

CURVA 90° MASCHIO / FLANGIA SAE J 518 PSI 6000


PARALLEL M / SAE FLANGE J518
6000 PSI 90° ELBOWCOUDE 90° M PARALLEL / BRIDE SAE
J518 6000PSI

2 3

[illegible][illegible][illegible][illegible]

CODICE CODE CODICE	FILETTO THREAD FILET	FLANGIA FLANGE BRIDE	
	F1	D	D

RAC90MFL16J08	7/8" - 14	1/2"	30
RAC90MFL20J12	1" 1/16" - 12	3/4"	38
RAC90MFL25J16	1" 5/16 - 12	1"	44,5



CURVA 90° MASCHIO / FLANGIA SAE J 518 PSI 3000


PARALLEL M / SAE FLANGE J518
3000 PSI 90° ELBOW

COUDE 90° M PARALLEL / BRIDE SAE
J518 3000PSI

2 3

CODICE CODE CODICE	FILETTO THREAD FILET	FLANGIA FLANGE BRIDE	
	F1	D	D

RAC45MFL16J08	7/8" - 14	1/2"	30
RAC45MFL20J12	1" 1/16" - 12	3/4"	38
RAC45MFL25J12	1" 5/16 - 12	1"	44,5



CURVA 45° MASCHIO / FLANGIA SAE J 518 PSI 3000


PARALLEL M / SAE FLANGE J518
3000 PSI 45° ELBOW

COUDE 45° M PARALLEL / BRIDE SAE
J518 3000PSI

2 3

CODICE CODE CODICE	FILETTO THREAD FILET	FLANGIA FLANGE BRIDE	
	F1	D	D

RAC90MFP16J08	7/8" - 14	1/2"	31,7
RAC90MFP20J12	1" 1/16" - 12	3/4"	41,3
RAC90MFP25J16	1" 5/16 - 12	1"	47,5



CURVA 90° MASCHIO / FLANGIA SAE J 518 PSI 6000


PARALLEL M / SAE FLANGE J518
6000 PSI 90° ELBOW

COUDE 90° M PARALLEL / BRIDE SAE
J518 6000PSI

2 3

CODICE CODE CODICE	FILETTO THREAD FILET	FLANGIA FLANGE BRIDE	
	F1	D	D

RAC45MFP16J08	7/8" - 14	1/2"	31,7
RAC45MFP20J12	1" 1/16" - 12	3/4"	41,3
RAC45MFP25J12	1" 5/16 - 12	1"	47,5




CURVA 45° MASCHIO / FLANGIA SAE J 518 PSI 6000

PARALLEL M / SAE FLANGE J518
6000 PSI 45° ELBOW

COUDE 45° M PARALLEL / BRIDE SAE
J518 6000PSI

2 3




**ADATTATORE 90°
MASCHIO CONICO / MASCHIO**

TAPER M / PARALLEL M 90°ELBOW

COUDE 90° M CONIQUE / M PARALLEL

<i>CODICE</i>	<i>FILETTO</i>	<i>FILETTO</i>
<i>CODE</i>	<i>THREAD</i>	<i>THREAD</i>
<i>CODICE</i>	<i>FILET</i>	<i>FILET</i>
	<i>F1</i>	<i>F2</i>
RA90MKM02	1/8" - 28	1/8" - 28
RA90MKM04	1/4" - 19	1/4" - 19
RA90MKM06	3/8" - 19	3/8" - 19
RA90MKM08	1/2" - 14	1/2" - 14
RA90MKM10	5/8" - 14	5/8" - 14
RA90MKM12	3/4" - 14	3/4" - 14
RA90MKM16	1" - 11	1" - 11
RA90MKM20	1 1/4" - 11	1 1/4" - 11
RA90MKM24	1 1/2" - 11	1 1/2" - 11




**ADATTATORE 90°
MASCHIO / MASCHIO**

PARALLEL M / M 90° ELBOW

COUDE 90° M / M PARALLEL

<i>CODICE</i>	<i>FILETTO</i>	<i>FILETTO</i>
<i>CODE</i>	<i>THREAD</i>	<i>THREAD</i>
<i>CODICE</i>	<i>FILET</i>	<i>FILET</i>
	<i>F1</i>	<i>F2</i>
RA90MM02	1/8" - 28	1/8" - 28
RA90MM04	1/4" - 19	1/4" - 19
RA90MM06	3/8" - 19	3/8" - 19
RA90MM08	1/2" - 14	1/2" - 14
RA90MM10	5/8" - 14	5/8" - 14
RA90MM12	3/4" - 14	3/4" - 14
RA90MM16	1" - 11	1" - 11
RA90MM20	1 1/4" - 11	1 1/4" - 11
RA90MM24	1 1/2" - 11	1 1/2" - 11




**ADATTATORE 90°
MASCHIO / MASCHIO**

PARALLEL M / M 90° ELBOW

COUDE 90° M / M PARALLEL

<i>CODICE</i>	<i>FILETTO</i>	<i>FILETTO</i>
<i>CODE</i>	<i>THREAD</i>	<i>THREAD</i>
<i>CODICE</i>	<i>FILET</i>	<i>FILET</i>
	<i>F1</i>	<i>F2</i>
RA90MM12B	12 x 1.5	12 x 1.5
RA90MM14B	14 x 1.5	14 x 1.5
RA90MM16B	16 x 1.5	16 x 1.5
RA90MM18B	18 x 1.5	18 x 1.5
RA90MM20B	20 x 1.5	20 x 1.5
RA90MM22B	22 x 1.5	22 x 1.5
RA90MM26B	26 x 1.5	26 x 1.5
RA90MM30B	30 x 1.5	30 x 1.5



**ADATTATORE 90°
MASCHIO CONICO /
FEMMINA**


TAPER M / PARALLEL F 90° ELBOW

COUDE 90° M CONIQUE / F PARALLEL

<i>CODICE</i>	<i>FILETTO</i>	<i>FILETTO</i>
<i>CODE</i>	<i>THREAD</i>	<i>THREAD</i>
<i>CODICE</i>	<i>FILET</i>	<i>FILET</i>
	<i>F1</i>	<i>F2</i>
RA90MKFC02	1/8" - 28	1/8" - 28
RA90MKFC06	1/4" - 19	1/4" - 19
RA90MKFC04	3/8" - 19	3/8" - 19
RA90MKFC08	1/2" - 14	1/2" - 14
RA90MKFC10	5/8" - 14	5/8" - 14
RA90MKFC12	3/4" - 14	3/4" - 14
RA90MKFC16	1" - 11	1" - 11




[illegible][illegible]



ADATTATORE 45° MASCHIO CONICO / MASCHIO

TAPER M / PARALLEL M 45° ELBOW


COUDE 45° M CONIQUE / M PARALLEL

[illegible]

ADATTATORE 45° MASCHIO CONICO / FEMMINA

TAPER M / PARALLEL F 45° ELBOW


COUDE 45° M CONIQUE / F PARALLEL


[illegible]

ADATTATORE 45° MASCHIO / MASCHIO

PARALLEL M / M 45°ELBOW

COUDE 45° M / M PARALLEL

	<i>CODICE</i> <i>CODE</i> <i>CODICE</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i> <i>F1</i>	<i>FILETTO</i> <i>THREAD</i> <i>FILET</i> <i>F2</i>
	RA45MM02	1/8" - 28	1/8" - 28
	RA45MM04	1/4" - 19	1/4" - 19
	RA45MM06	3/8" - 19	3/8" - 19
	RA45MM08	1/2" - 14	1/2" - 14
	RA45MM10	5/8" - 14	5/8" - 14
	RA45MM12	3/4" - 14	3/4" - 14
	RA45MM16	1" - 11	1" - 11
ADATTATORE 45° MASCHIO / MASCHIO			
PARALLEL M / M 45° ELBOW			
COUDE 45° M / M PARALLEL			



ADATTATORE 45° FEMMINA / FEMMINA

PARALLEL F / F 45° ELBOW

COUDE 45° F / F PARALLEL

[illegible]

PARALLEL M / M / M TEE

ADAPTEUR TES M / M / M PARALLEL

PARALLEL M / TAPER M / PARALLEL
M TEE

**ADAPTEUR TES M PARALLEL / M
CONIQUE / M PARALLEL**

Technical drawing of a T-joint showing three views: top, front, and side. The top view shows a horizontal pipe with a vertical branch. The front view shows the vertical branch with a 60-degree angle. The side view shows the horizontal pipe with a 60-degree angle. The word "METRIC" is written in green boxes below each view.

PARALLEL M / M / M TEE


ADAPTEUR TES M / M / M PARALLEL

PARALLEL M / TAPER M / M TEE

**ADAPTEUR TES M PARALLEL / M
CONIQUE / M CONIQUE**

[illegible][illegible][illegible][illegible]

CODICE CODE CODICE	FILETTO THREAD FILET	FILETTO THREAD FILET
	F1	F2
RATMMXM04	1/4" - 19	1/4" - 19
RATMMXM06	3/8" - 19	3/8" - 19
RATMMXM08	1/2" - 14	1/2" - 14
RATMMXM12	3/4" - 14	3/4" - 14
RATMMXM16	1" - 11	1" - 11
RATMMXM20	1 1/4" - 11	1 1/4" - 11




ADATTATORE "T" MASCHIO / MASCHIO ORIENTABILE / MASCHIO

PARALLEL M / ADJUSTABLE
PARALLEL M / PARALLEL M TEE

ADAPTEUR TES M PARALLEL /
M PARALLEL ORIENTABLE /
M PARALLEL

1

CODICE CODE CODICE	FILETTO THREAD FILET	FILETTO THREAD FILET
	F1	F2
RATMMM04	1/4" - 19	1/4" - 19
RATMMM06	3/8" - 19	3/8" - 19
RATMMM08	1/2" - 14	1/2" - 14
RATMMM12	3/4" - 14	3/4" - 14
RATMMM16	1" - 11	1" - 11
RATMMM20	1 1/4" - 11	1 1/4" - 11




ADATTATORE "T" MASCHIO / MASCHIO / MASCHIO ORIENTABILE

PARALLEL M / M / ADJUSTABLE
PARALLEL M TEE

ADAPTEUR TES M / M /
M PARALLEL ORIENTABLE

1

CODICE CODE CODICE	FILETTO THREAD FILET
	F1
RATFCFCFC02	1/8" - 28
RATFCFCFC04	1/4" - 19
RATFCFCFC06	3/8" - 19
RATFCFCFC08	1/2" - 14
RATFCFCFC12	3/4" - 14
RATFCFCFC16	1" - 11
RATFCFCFC20	1 1/4" - 11




ADATTATORE "T" FEMMINA / FEMMINA / FEMMINA

PARALLEL FEMALE TEE

ADAPTEUR TES FEMALE PARALLEL

CODICE CODE CODICE	FILETTO THREAD FILET
	F1
RATFFF04	1/4" - 19
RATFFF06	3/8" - 19
RATFFF08	1/2" - 14
RATFFF12	3/4" - 14
RATFFF16	1" - 11



ADATTATORE "T" FEMMINA GIREVOLE / FEMMINA GIREVOLE / FEMMINA GIREVOLE

SWIVEL FEMALE TEE

ADAPTEUR TES FEMALE TOURNANT



PARALLEL MALE CROSS

ADAPTEUR CROIX MALE PARALLEL



PARALLEL FEMALE CROSS

ADAPTEUR CROIX FEMALE PARALLEL

**ADATTATORE PASSAPARETE
DI CONGIUNZIONE
MASCHIO / MASCHIO**

PARALLEL M / M BULKHEAD ADAPTER

**ADAPTEUR PASSE CLOISON
EGAUX M / M PARALLEL**

**ADATTATORE PASSAPARETE
DI CONGIUNZIONE
MASCHIO / FEMMINA**

PARALLEL M / F BULKHEAD ADAPTER

ADAPTEUR PASSE CLOISON EGAUX M / F PARALLEL



- 1 Completo di guarnizione NBR (VITON a richiesta).
- 2 Guarnizione O-ring esclusa (fornibile su richiesta).
- 3 Completo di tappo/cappuccio plastico di protezione.
- 6 La consegna di questo prodotto può essere vincolata a tempi o a lotti economici di produzione variabile e definibili al momento dell'ordine.
- 7 Si consiglia di NON utilizzare per nuove applicazioni.
- A I filetti dei raccordi devono essere sempre lubrificati prima del serraggio.
- B Coppia di serraggio consigliata per dadi pressati.

- 1 NBR gasket included (VITON available on request).
- 2 O-ring gasket excluded (available on request).
- 3 Protective cap included with the fitting.
- 6 Deliveries of this product might be affected by variable schedules or E.B.Q.s and have to be specified when placing an order.
- 7 It is recommended to NOT to apply this fitting to new applications.
- A Threads must always be lubricated before tightening.
- B Recommended tightening torque for crimped nuts.

- 1 Embout fourni complet de joint NBR (VITON sur demande).
- 2 Embout fourni sans joint torique (disponible sur demande).
- 3 Fourni avec bouchon de protection.
- 6 Les livraison de ce produit peuvent être liées aux temps ou lots de production variables et doivent être établies à la commande.
- 7 On conseille de NE PAS utiliser ces parties pour des nouvelles applications.
- A Le filetage des embouts doit être toujours lubrifié avant le serrage.
- B Copule de serrage conseillée pour écrous sertis.

Il presente catalogo si intende versione LIGHT in quanto riporta solo alcune caratteristiche principali, indicative e non impegnative, per l'individuazione del prodotto.

Le caratteristiche tecniche indicate si riferiscono al mese di Novembre 2006, data di pubblicazione del presente catalogo.

OLMARK Spa, allo scopo di migliorare la propria produzione, si riserva di apporre modifiche TECNICHE e DIMENSIONALI in qualunque momento e senza alcun obbligo di preavviso.

Per qualsiasi dubbio, chiarimento, nuova applicazione, aggiornamento o specifiche tecniche più dettagliate, consultare sempre la Direzione Tecnica OLMARK.

Per i prodotti inseriti e descritti nel presente catalogo non è garantita la disponibilità a magazzino. In fase di ordine consultare la Direzione Commerciale OLMARK.

In considerazione delle particolari applicazioni di alcuni prodotti codificati sul presente catalogo, avvertiamo che l'accettazione o l'evasione dell'ordine possono essere assoggettate a lotto economico di produzione minimo predefinito.

È assolutamente vietata la riproduzione, anche parziale, dei disegni e dei dati contenuti nel presente catalogo.

Tutta la produzione OLMARK si intende garantita dal trattamento di zincatura "Platinum" e pertanto, nel rispetto delle normative internazionali che vietano l'utilizzo dei metalli pesanti nei trattamenti superficiali, non contiene Cr VI.

This catalogue is intended to be a LIGHT version, as it just lists the main characteristics of the products, not binding for the choice of the suitable item.

All technical data contained in this catalogue refer to November 2006, date of publication of the catalogue.

OLMARK Spa, in order to improve its own production process, reserves the right to apply at any time and without notice TECHNICAL and DIMENSIONAL modifications to the products.

Should the user need to receive any clarification, updates or information on new application please contact OLMARK Technical Department.

OLMARK Spa can't guarantee that all the items listed in this catalogue are available on stock. Please ask for availability when placing the order.

Considering the special application of some of the products listed in this catalogue, OLMARK Spa informs that orders acknowledgement and processing can be subjected to minimum preset EBQs.

Any partial or full copy of either drawings or contents of this catalogue is forbidden.

All OLMARK production, in compliance with international regulations that forbid the use of heavy metals for any superficial treatment, is guaranteed by the coating Cr VI free "Platinum" treatment.

Le présent catalogue est une version "réduite" car on y peut trouver seulement quelques caractéristiques principales, au niveau indicatif et non pas contraignant, pour le choix du produit.

Les caractéristiques techniques indiquées sont référées à Novembre 2006, date de publication du présent catalogue.

OLMARK Spa, au but d'améliorer sa même production, se réserve le droit d'appliquer des modifications techniques et dimensionnelles sans aucune obligation de le notifier en avance.

Pour toute doute, clarification, nouvelles applications, mis à jour ou cahier des charges plus détaillés, veuillez toujours consulter la Direction Technique OLMARK.

La disponibilité des produits au magasin n'est pas assurée pour tous les articles mentionnés dans le catalogue. Consulter la Direction Commerciale OLMARK en phase de commande.

En considération des particulières applications de quelques produits mentionnés sur ce catalogue, nous vous informons que l'acceptation et l'exécution de la commande peuvent être modifiées selon le courant lot préfixé de production économique.

Il est absolument interdit la reproduction, aussi partielle, des plans et les informations techniques contenus dans ce catalogue.

Toute la production de OLMARK est garantie par le traitement de zingage "Platinum", lequel ne contient pas de Cr VI, dans le respect des normes internationales qu'interdisent l'usage des métaux lourds pour les traitements superficiels.



Hydraulic Connexion

OLMARK spa

Sede / Headquarters: via Cisa Ligure, 123

42041 Lentigione di Brescello (R.E.) Italy

tel. (0039) 0522.680821 r.a. fax (0039) 0522 680263



France

OLMARK France sarl

Filiale / Branch office: 4, rue des Gardes, Z.A. les Godes

91370 Verrieres le Buisson PARIS

tel. 01 69 20 40 79 - fax 01 69 20 49 23

www.olmark.com - info@olmark.com



Company Certified with Procedures

Quality **UNI EN ISO 9001**

Environmental **UNI EN ISO 14001**



OLMARK AUTHORIZED DEALER