



 Valvola a farfalla in ottone a passaggio totale [RB art. 600000] filettatura F/F.

 Brass butterfly valve full port, [RB art. 600000], threaded.



Art. 8P021100

Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

MISURA-SIZE	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"
PN	16	16	16	16	16	16	16	16
ACT.	DA32	DA32	DA32	DA52	DA52	DA63	DA63	DA75
KIT	RI3752	RI3752	RI3752	RI3825	RI3825	RI3208	RI3835	RI3826

Art. 8P021200

Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

MISURA-SIZE	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"
PN	16	16	16	16	16	16	16	16
ACT.	SR52	SR52	SR52	SR63	SR75	SR75	SR85	SR85
KIT	R3827	RI3827	RI3827	RI3828	RI3833	RI3834	RI3826	RI3826



Art. 8E098***

Con attuatore elettrico serie 85.
With electric actuator series 85.

MISURA-SIZE	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"
PN	16	16	16	16	16	16	16	16
ACT.	VB015	VB015	VB015	VB015	VB015	VB030*	VB030*	VB060*
KIT	R3827	RI3827	RI3827	RI3825	RI3825	RI3208	RI3835	RI3826
12 V								
24 V								
100 - 240 V								

*Versione speciale - Special version.

*** CODICE TENSIONE - VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004



- Valvola a farfalla per uso alimentare in acciaio inox AISI 304L attacchi DIN 11851 F/F.
- Stainless steel AISI 304L, butterfly valve for food industry, F/F DIN 11851 connections.



- Art. 8P015700** Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

DN	25	32	40	50	65	80	100
PN	6	6	6	6	6	6	6
ACT.	DA32	DA52	DA52	DA63	DA75	DA85	DA85
KIT	-	-	-	-	-	-	-

- Art. 8P015800** Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

DN	25	32	40	50	65	80	100
PN	6	6	6	6	6	6	6
ACT.	SR52	SR52	SR63	SR75	SR85	SR85	SR100
KIT	-	-	-	-	-	-	-



- Art. 8E047***** Con attuatore elettrico serie 85.
With electric actuator series 85.

DN	25	32	40	50	65	80	100
PN	6	6	6	6	6	6	6
ACT.	VB015	VB015	VB030	VB030	VB060	VB110	VB110
KIT	-	-	-	-	-	-	-
12 V							
24 V							
100 - 240 V							

***			CODICE TENSIONE - VOLTAGE CODE		
12V AC/DC + 001		24V AC/DC + 002		100-240V AC + 004	



 Valvola a farfalla tipo Wafer [art. 600133] PN10-PN16-ANSI 150 (da DN50 a DN300), PN10 (da DN350 a DN600) corpo in ghisa GG25 (da DN50 a DN300), GGG50 (da DN350 a DN600) + vernice epossidica, disco in GGG40 nichelato, guarnizioni in EPDM.

 Butterfly valve Wafer type [art. 600133] PN10-PN16-ANSI 150 (from DN50 to DN300), PN10 (from DN350 to DN600) body in cast iron GG25 (from DN50 to DN300), GGG50 (from DN350 to DN600) + epoxy painting, disc GGG40 nickel plated, EPDM seat.

NEW

Valvole idonee in ambito acquedottistica, per ulteriori applicazioni consultare l'ufficio commerciale.
Valves suitable for waterworks, for different applications please contact sales department.



Art. 8P112600 Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA115	DA125	DA140	DA160	DA180	DA200	DA230	DA270
KIT	RI3836	RI3836	RI3838	RI3839	RI3839	RI3839	RI5383	RI3865	RI5392	RI5392	RI5400	RI5400	RI5401	RI5402

Art. 8P112700 Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	SR63	SR75	SR85	SR100	SR115	SR115	SR160	SR180	SR200	SR230	SR270	SR270	SR330	SR330
KIT	RI3838	RI5384	RI5384	RI3839	RI5047	RI5047	RI5394	RI5395	RI4453	RI5403	RI5404	RI5404	RI5405	RI5406



Art. 8E267*** Con attuatore elettrico serie 85.
With electric actuator series 85.

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB030	VB030	VB060	VB060	VB110	VB110	VB270	VB350	-	-	-	-	-	-
KIT	RI3836	RI3836	RI3838	RI5396	RI3839	RI3839	RI5383	RI3865	-	-	-	-	-	-
12 V														
24 V														
100 - 240 V														



Art. 8M267*** Con attuatore elettrico serie 86.
With electric actuator series 86.

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB270M	VB350M	-	-	-	-	-	-
KIT	RI3836	RI3836	RI3838	RI5396	RI3839	RI3839	RI5383	RI3865	-	-	-	-	-	-
12 V														
24 V														
100 - 240 V														

CODICE TENSIONE - VOLTAGE CODE

12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004
--------------------	--------------------	----------------------



Valvola a farfalla tipo Wafer [art. 600134] PN10-PN16 (solo DN40) PN10-PN16-ANSI 150 (da DN50 a DN300), PN10 (da DN350 a DN600) corpo in ghisa GG25 (da DN40 a DN300), GGG50 (da DN350 a DN600) + vernice epossidica, disco in A351-CF8M, guarnizioni in EPDM.



Butterfly valve Wafer type [art. 600134] PN10-PN16 (only DN40) PN10-PN16-ANSI 150 (from DN50 to DN300), PN10 (from DN350 to DN600) body incast iron GG25 (from DN40 to DN300), GGG50 (from DN350 to DN600) + epoxy painting, disc A351-CF8M, EPDM seat.

NEW

Valvole idonee in ambito acquedottistica, per ulteriori applicazioni consultare l'ufficio commerciale.
Valves suitable for waterworks, for different applications please contact sales department.



Art. 8P112800

Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

DN	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	DA52	DA52	DA52	DA63	DA75	DA75	DA85	DA115	DA125	DA140	DA160	DA180	DA200	DA230	DA270
KIT	RI5390	RI3836	RI3836	RI3838	RI3839	RI3839	RI3839	RI5383	RI3865	RI5392	RI5400	RI5400	RI5401	RI5402	RI5402

Art. 8P112900

Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

DN	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	SR63	SR63	SR75	SR85	SR100	SR115	SR115	SR160	SR180	SR200	SR230	SR270	SR270	SR330	SR330
KIT	RI5393	RI3838	RI5384	RI5384	RI3839	RI5047	RI5047	RI5394	RI5395	RI4453	RI5403	RI5404	RI5404	RI5405	RI5406



Art. 8E268***

Con attuatore elettrico serie 85.
With electric actuator series 85.

DN	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB270	VB350	-	-	-	-	-	-
KIT	RI5390	RI3836	RI3836	RI3838	RI5396	RI3839	RI3839	RI5383	RI3865	-	-	-	-	-	-
12 V															
24 V															
100 - 240 V															



Art. 8M268***

Con attuatore elettrico serie 86.
With electric actuator series 86.

DN	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB015M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB270M	VB350M	-	-	-	-	-	-
KIT	RI5390	RI3836	RI3836	RI3838	RI5396	RI3839	RI3839	RI5383	RI3865	-	-	-	-	-	-
12 V															
24 V															
100 - 240 V															

CODICE TENSIONE - VOLTAGE CODE

12V AC/DC
+ 001

24V AC/DC
+ 002

100-240V AC
+ 004



 Valvola a farfalla tipo Lug [art. 600243] PN16 (da DN50 a DN300), PN10 (da DN350 a DN600) corpo in ghisa GGG40 + vernice epossidica, disco in GGG40 nichelato, guarnizioni in EPDM.

 Butterfly valve Lug type [art. 600243] PN16 (from DN50 to DN300), PN10 (from DN350 to DN600) body in cast iron GGG40 + epoxy painting, disc GGG40 nickel plated, EPDM seat

NEW

Valvole idonee in ambito acquedottistica, per ulteriori applicazioni consultare l'ufficio commerciale.
Valves suitable for waterworks, for different applications please contact sales department.



Art. 8P114000

Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	DA52	DA52	DA63	DA75	DA75	DA85	DA115	DA125	DA140	DA160	DA180	DA200	DA230	DA270
KIT	RI3836	RI3836	RI3838	RI3839	RI3839	RI3839	RI5383	RI3865	RI5392	RI5392	RI5400	RI5400	RI5401	RI5402

Art. 8P114100

Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	SR63	SR75	SR85	SR100	SR115	SR115	SR160	SR180	SR200	SR230	SR270	SR270	SR330	SR330
KIT	RI3838	RI5384	RI5384	RI3839	RI5047	RI5047	RI5394	RI5395	RI4453	RI5403	RI5404	RI5404	RI5405	RI5406



Art. 8E274***

Con attuatore elettrico serie 85.
With electric actuator series 85.

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB030	VB030	VB060	VB060	VB110	VB110	VB270	VB350	-	-	-	-	-	-
KIT	RI3836	RI3836	RI3838	RI5396	RI3839	RI3839	RI5383	RI3865	-	-	-	-	-	-
12 V														
24 V														
100 - 240 V														



Art. 8M274***

Con attuatore elettrico serie 86.
With electric actuator series 86.

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB270M	VB350M	-	-	-	-	-	-
KIT	RI3836	RI3836	RI3838	RI5396	RI3839	RI3839	RI5383	RI3865	-	-	-	-	-	-
12 V														
24 V														
100 - 240 V														

CODICE TENSIONE - VOLTAGE CODE

12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004
--------------------	--------------------	----------------------



 Valvola a farfalla tipo Lug [art. 600244] PN16 (da DN40 a DN300), PN10 (da DN350 a DN600) corpo in ghisa GGG40 + vernice epossidica, disco in A351-CF8M, guarnizioni in EPDM

 Butterfly valve Lug type [art. 600244] PN16 (from DN40 to DN300), PN10 (from DN350 to DN600) body in cast iron GGG40+ epoxy painting, disc A351-CF8M, EPDM seat

NEW

Valvole idonee in ambito acquedottistica, per ulteriori applicazioni consultare l'ufficio commerciale.
Valves suitable for waterworks, for different applications please contact sales department.



Art. 8P114200

Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

DN	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	DA52	DA52	DA52	DA63	DA75	DA75	DA85	DA115	DA125	DA140	DA160	DA180	DA200	DA230	DA270
KIT	RI5390	RI3836	RI3836	RI3838	RI3839	RI3839	RI3839	RI5383	RI3865	RI5392	RI5392	RI5400	RI5400	RI5401	RI5402

Art. 8P114300

Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

DN	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	16	10	10	10	10	10
ACT.	SR63	SR63	SR75	SR85	SR100	SR115	SR115	SR160	SR180	SR200	SR230	SR270	SR270	SR330	SR330
KIT	RI5393	RI3838	RI5384	RI5384	RI3839	RI5047	RI5047	RI5394	RI5395	RI4453	RI5403	RI5404	RI5404	RI5405	RI5406



Art. 8E275***

Con attuatore elettrico serie 85.
With electric actuator series 85.

DN	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB270	VB350	-	-	-	-	-	-
KIT	RI5390	RI3836	RI3836	RI3838	RI5396	RI3839	RI3839	RI5383	RI3865	-	-	-	-	-	-
12 V															
24 V															
100 - 240 V															



Art. 8M275***

Con attuatore elettrico serie 86.
With electric actuator series 86.

DN	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
PN	16	16	16	16	16	16	16	16	16	-	-	-	-	-	-
ACT.	VB015M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB270M	VB350M	-	-	-	-	-	-
KIT	RI5390	RI3836	RI3836	RI3838	RI5396	RI3839	RI3839	RI5383	RI3865	-	-	-	-	-	-
12 V															
24 V															
100 - 240 V															

CODICE TENSIONE - VOLTAGE CODE

12V AC/DC
+ 001

24V AC/DC
+ 002

100-240V AC
+ 004



 Valvola a farfalla attacchi clamp BS4825, in acciaio inox AISI 304.

 Butterfly valve, BS4825 clamp connections, stainless steel AISI 304.



Art. 8P025900

Con attuatore pneumatico doppio effetto serie 82.
 With double acting pneumatic actuator series 82.

PN	6	6	6	6	6	6	6
CLAMP	3/4"	1"	1"1/2	2"	2"1/2	3"	4"
ACT.	DA32	DA32	DA52	DA63	DA75	DA75	DA85
KIT	-	-	-	-	-	-	-

Art. 8P026000

Con attuatore pneumatico semplice effetto serie 82.
 With spring return pneumatic actuator series 82.

PN	6	6	6	6	6	6	6
CLAMP	3/4"	1"	1"1/2	2"	2"1/2	3"	4"
ACT.	SR52	SR52	SR63	SR75	SR75	SR85	SR100
KIT	-	-	-	-	-	-	-



 Valvola a farfalla attacchi a saldare per tubi DIN 11850, in acciaio inox AISI 304.

 Butterfly valve, din weld connections, for tube DIN 11850, stainless steel AISI 304.



Art. 8P026100

Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

DN	25	32	40	50	65	80	100
PN	6	6	6	6	6	6	6
ACT.	DA32	DA52	DA52	DA63	DA75	DA85	DA85
KIT	-	-	-	-	-	-	-

Art. 8P026200

Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

DN	25	32	40	50	65	80	100
PN	6	6	6	6	6	6	6
ACT.	SR52	SR52	SR63	SR75	SR85	SR85	SR100
KIT	-	-	-	-	-	-	-



 Valvola a farfalla in PVC.

 PVC butterfly valve.



Art. 8P016500

Con attuatore pneumatico doppio effetto serie 82.
With double acting pneumatic actuator series 82.

DN	40	50	65	80	100	125	150	200
PN	16	16	10	10	10	10	10	10
ACT.	DA52	DA52	DA63	DA63	DA75	DA85	DA100	DA115
KIT	-	-	-	-	-	-	-	-

Art. 8P016600

Con attuatore pneumatico semplice effetto serie 82.
With spring return pneumatic actuator series 82.

DN	40	50	65	80	100	125	150	200
PN	16	16	10	10	10	10	10	10
ACT.	SR75	SR75	SR85	SR85	SR115	SR115	SR125	SR140
KIT	-	-	-	-	-	-	-	-



Art. 8E062***

Con attuatore elettrico serie 85.
With electric actuator series 85.

DN	40	50	65	80	100	125	150	200
PN	16	16	10	10	10	10	10	10
ACT.	VB015	VB015	VB030	VB060	VB060	VB060*	VB110	VB190*
KIT	-	-	-	-	-	-	-	-
12 V								
24 V								
100 - 240 V								

*Versione speciale - Special version.

*** CODICE TENSIONE - VOLTAGE CODE		
12V AC/DC + 001	24V AC/DC + 002	100-240V AC + 004